

COPY

Wattenberg Disposal, LLC
1675 Broadway, Suite #2800
Denver, Colorado 80202

Suckla Farms Injection Well # 1 EPA Falloff Test

EPA Permit No. CO10938-02115

March 21, 2011 to March 28, 2011

WELL:

SUCKLA FARMS INJ WELL (EPA) #1
API #: 05-123-14291
Operator: K P KAUFFMAN COMPANY, INC
SHL: 2140' FNL, 2020' FEL
Section 10 —T1N — R67W
Weld County, Colorado



Peterson Energy Management, Inc.

2154 West Eisenhower Blvd.
Loveland, CO 80537
970-669-7411

1) Company Name & Address

Wattenberg Disposal, LLC
1675 Broadway, Suite 2800
Denver, Colorado 80202

2) Test Well Name & Location

Suckla Farms Injection Well #1
NW/4 Section 10-T1N-R67W
Weld County, Colorado

3) Facility Contact Person

Kent Gilbert 303-825-4822

Report Prepared by:
Andy Peterson 970-669-7411
Peterson Energy Management, Inc.
2154 W. Eisenhower Blvd., Loveland CO 80537

4) Openhole Log

See attached Dual Induction Log run 07/02/89
Lyons Sandstone injection zone

5) Well Schematic

See attached well schematic diagram

Wellbore radius: 0.328'
Completed interval depths: Lyons, 9276'-9418'
Type of completion: Cased & cemented, injection under a packer set at 9040' via 2-7/8" fiber-lined tubing

6) Date of Fill Depth

Current fill depth is 9476', recorded in March, 2003.

7) Offset well information

The nearest well completed in the Lyons formation is the Wattenberg SWD #1, NWSW Section 19-2N-66W, operated by Anadarko. This well is approximately 4½ miles to the north-east. No interference between these two wells is assumed to occur for purposes of this analysis.

8) Chronological Listing of Daily Testing Activities

Company has been injecting water into the subject well during daylight hours for five to six days per week for the past year. Injection averaged 402 bbls per day since the last test.

03/18/11	11:18	Intermittent daylight injection stopped, well shut in
03/21/11	07:26	Tandem gauges installed at 9020' WLM
03/22/11	07:00	Injection began at 45.4 BWPH

03/23/11 07:02 Injection stopped, 1089 BW injected
03/28/11 06:52 Gauges off bottom (total SI= 121.1 hrs)

9) Electronic Submission of Raw Data

Attached CD contains a file of raw time-pressure-temperature data (at packer depth) for both gauges.

10) Tabular Summary of Injection Rates

Tabular summary of injection rates for the three months preceding the falloff test is attached, as is a rate vs. time plot for the previous three months. This rate-time data is also included in a .csv file on the attached CD.

11) Offset Well Rate Information

As discussed above, no offset well rate information is considered to be useful in this test analysis.

12) Hard Copy of Time and Pressure Data

A tabular summary of raw time, pressure & temperature data (filtered) is attached.

13) Pressure Gauge Information

Bottom Gauge:
10,000 psi, PPS25 electronic memory strain gauge
SN4186
Installed at: 9020.0' WLM
Pressure accuracy: 0.03% (+/- 3.0 psi)
Pressure resolution: 0.0003% FS (+/- 0.03 psi).
Last calibration: 10/15/10

Top Gauge:
10,000 psi, PPS25 electronic memory strain gauge
SN4185
Installed at: 9019.0' WLM
Pressure accuracy: 0.03% (+/- 3.0 psi)
Pressure resolution: 0.0003% FS (+/- 0.03 psi).
Last calibration: 10/15/10

Calibration certificates for both gauges are attached.

Gauges supplied by Lightning Wireline (970-785-2670)

14) General Test Information

Date of test: Injection commenced March 22, 2011, ceased March 23, 2011.
Bottom hole pressure monitored from March 21, 2011 to March 28, 2011.
Rate/Time information plotted from January 1, 2011 to March 31, 2011.

Time synchronization: see attached data files.

Location of shut-in valve: well was shut in at the wellhead

15) **Reservoir Parameters**

Water viscosity (μ):	0.2313 cp	(correlation)
Porosity (ϕ):	6%	(measured- density log porosity)
Total Compressibility (ct):	9.36e-06	(correlation)
Formation Volume Factor:	1.055 rb/stb	(correlation)

Initial formation reservoir pressure: From the attached semi-log Diagnostic Analysis Radial diagnostic plot, p^* is approximately 3854 psia at perforation midpoint. This is 77 psi below the 3931 p^* estimated from the semi-log (radial) Diagnostic Analysis plot on the last pressure falloff test run in March, 2010.

Final injection pressure is approximately 4448 psi, 23 psi below the 24-hour injection pressure on the March, 2010 pressure falloff test.

A summary of historical estimated Initial Formation Reservoir Pressure (p^*) values at 9347' perforation mid-point using a 0.442 psi/ft hydrostatic gradient follows:

July, 1993	4417 psia, unreliable (23 hour shut in, surface gauges, no radial flow)
November, 1997	3590 psia
October, 2001	3760 psia
February, 2003	3830 psia
April, 2004	3859 psia (radial plot, multi-layer synthesis)
April, 2005	3647 psia (radial plot, multi-layer synthesis)
April, 2006	3656 psia (radial plot, multi-layer synthesis)
April, 2007	3816 psia (radial plot, radial flow portion of radial test analysis)
March, 2008	3694 psia (radial plot, single layer)
March, 2009	3912 psia (radial plot, single layer)
March, 2010	3931 psia (radial plot, single layer)
March, 2011	3854 psia (radial plot, single layer)

Date Reservoir Pressure was last stabilized: Stabilization likely occurred during a workover in March, 2003, 72 months prior to this test. The 91.7 hour shut in period preceding the current test may have been long enough to see stabilization, as pressure was fairly steady at the start of injection.

Justified Interval Thickness: Tracer survey run 7/12/93 & temperature logs run 11/01/01 indicate entire 142' perforated interval is taking fluid. Wireline 1/8/03 & during 3/03 workover shows all perforations open.

16) **Waste Plume**

Cumulative injection volume into completed interval: 5,376,847 bbls as of March 23, 2011 at 24:00 hrs (post-test volume, includes the 1089 bbls injected on the current test). These figures were determined by using injection volumes supplied by the Colorado Oil & Gas Conservation Commission through December, 1997, and injection volumes supplied by the operator from January, 1998, through March, 2011.

There were 146,994 bbls water injected into this well in the year since the last test.

Calculated radial distance to the waste front: We are unable to empirically calculate a distance to the waste front from this type of test as there is no contrast between historic waste plume viscosity

and formation fluid viscosity.

Average historical waste fluid viscosity: To our knowledge, no direct viscosity measurements have been taken. Waste plume viscosity is assumed to be the same as formation fluid viscosity. Essentially all of the waste fluid injected into the Suckla Farms #1 has been oilfield produced water, which does not have a significant contrast to the Lyons formation water.

17) Injection Period

Time: 7:00 AM 3/22/2011 to 7:02AM 3/23/2011, 24.03 hours, 1089 bbls

Type fluid: oilfield brine/produced water

Pump Type: Water plant injection pump

Rate Meter: Halliburton digital turbine meter. SWD tanks were strapped before & after to confirm volume.

Final injection pressure, surface:	unknown
Final injection pressure, at 9347' mid-perf:	4448.2 psia
Final Injection Temperature, at 9020' gauge depth:	149.6° F

18) Falloff Period

Total shut-in time: 7:02 AM 3/23/11 to 8:08 AM 3/28/11, 121.1 hours

Final shut-in pressure & temperature, at 9347' mid-perf: 3983.3 psia, 243.8 °F.

Time well went on vacuum: well surface pressure went to 0 psi 87 hours before the end of the test.

19) Pressure Gradient

A static gradient was run at the conclusion of this test. No fluid level was noted as the fluid level appeared to be at surface.

20-21) Calculated Test Data and Corresponding Graphs

Please see attached graphs of the current test:

Data Chart	(Rate & Pressure vs Time)
Diagnostic Analysis	(Log-Log Typecurve)
Diagnostic Analysis	(Radial Semi-Log Analysis)
Two Layer Reservoir Model	(Radial and Typecurve)

The Rate vs Time plot shows bottomhole injection pressure had essentially stabilized after the 24 hour injection period at 4448 psi. Injection pressure was rising at the rate of +/-1.5 psi/hr for the last six hours prior to shut in. No pressure anomalies due to gauge temperature de-stabilization are evident during the test. Data quality appears good. Pressure change during later test times is 0.1 psi per time step. Gauge resolution (+/-0.03 psi) is adequate for the observed pressure change.

The Diagnostic Analysis (Typecurve) shows that a short radial flow period was reached approximately 20 hours into the falloff portion of the test. Analysis of this region gives a system permeability of 0.9799 md, with a skin factor of -5.325.

Using the permeability value calculated from the falloff period, we can calculate a radius of investigation from the falloff test as follows for $t = 121.1$ hrs, with other parameters as defined above:

$$r_{inv} = \sqrt{\frac{kt}{948\phi\mu c_i}} = \sqrt{\frac{5.03 \cdot 121.1}{948 \cdot 0.06 \cdot 0.2313 \cdot 9.36 \times 10^{-6}}} = 980'$$

Radius of investigation = 980'

The test was also successfully modeled using a Two-Layer Reservoir Model. A good history match is obtained by assuming a 78' layer with a permeability of 3.2062 md and skin of -4.638, and a 64' layer with a 1.0739 md permeability and -3.777 skin.

Due to the variable rate conditions reported prior to this test, the plots in this report use a superposition time function. EPA Region VI guidelines recommend using a rate history of at least twice the length of the falloff test. Rate information for 81 days preceding the falloff test was used to generate the superposition. This is sixteen times the duration of the falloff test.

Plots were generated using the F.A.S.T. WellTest software package available from Fekete Associates, Inc., Calgary, Alberta, Canada. A .fkt data file is included on the attached CD.

22) Comparison with Petition Demonstration

Condition #5 on Page 12 in Permit # CO10938-02115 stipulates an upper limit of 8,300,000 barrels of injected waste. This corresponds with a waste front of 1,320', assuming piston displacement. The current volume of 5,376,847 barrels injected corresponds to a waste front of 1091', assuming an injection interval of 142'. While the effective injection interval may be less than 142', the additional fracture porosity postulated in this, and previous reports makes 1091' a conservative estimate of the radial front of the waste plume. If fractures exist, then the reservoir must contain additional storage in the fracture system, in addition to the 6% matrix porosity. This will have the effect of increasing the effective porosity, which decreases the distance to the waste front for any assumed injection volume or effective zone height.

The injection front has progressed 15' since the March 2010 test. There are 229 feet remaining for the front to advance before the 1320' permit limit is reached. This represents approximately 19 years and 11 months at current conditions.

Equation:

$$r_{mj} = \sqrt{\frac{5.615VB_w}{\pi h \phi}} = \sqrt{\frac{5.615 \cdot 5,376,847 \cdot 1.055}{142 \cdot 0.06 \cdot \pi}} = 1091'$$

where $V = 5,376,847$ bbls, $B_w = 1.055$ rb/stb, $h = 142'$, $\phi = 0.06$

It is our opinion that the current test design is adequate to investigate this reservoir, given the constraints of daylight-only injection operations and available water storage. We recommend that subsequent tests follow this same design, which has now been used for seven consecutive annual tests.

23) **Radioactive Tracer Survey**


A radioactive tracer was not run during this test. The last radioactive tracer survey run in the Suckla Farms #1 was done in July, 1993.

24) **Unusual Permit Approval Conditions**

We are not aware of any unusual permit approval conditions.

Report prepared for Wattenberg Disposal, LLC. by


PETERSON ENERGY MANAGEMENT, INC



Andrew S. Peterson, P.E.

April 20, 2011


Reference: EPA Region VI UIC Pressure Falloff Testing Guideline, Third Revision, August 8, 2002



09300

REPEAT SECTION


095



Suckla Farms Injection Well #1 10-1N-67W

WELLBORE SCHEMATIC

WATTENBERG DISPOSAL
SUCKLA FARMS INJECTION WELL #1
NW/4 SECTION 10-1N-67W
WELD COUNTY, CO
05-123-14291



ASP
6/2/2004

Suckia Farms Injection Well #1
Injection History
2011 EPA Test

DETAIL INJECTION HISTORY						
# PUMPS	RATE	BBLS	INC HRS	START TIME	END TIME	CUM HRS
-1119.09	0	0	0.00	1/1/2011 7:00	1/1/2011 7:00	0.00
	0	0	24.00			24.00
0	0	0	0.00	1/2/2011 7:00	1/2/2011 7:00	24.00
	0	0	24.00			48.00
0	0	0	0.00	1/3/2011 7:00	1/3/2011 7:00	48.00
	0	0	24.00			72.00
0	0	0	0.00	1/4/2011 7:00	1/4/2011 7:00	72.00
	0	0	24.00			96.00
2	-2238.18	525	5.63	1/5/2011 7:00	1/5/2011 12:37	101.63
	0	0	18.37			120.00
2	-2238.18	567	6.08	1/6/2011 7:00	1/6/2011 13:04	126.08
	0	0	17.92			144.00
1	-1119.09	412	8.84	1/7/2011 7:00	1/7/2011 15:50	152.84
	0	0	15.16			168.00
0	0	0	0.00	1/8/2011 7:00	1/8/2011 7:00	168.00
	0	0	24.00			192.00
0	0	0	0.00	1/9/2011 7:00	1/9/2011 7:00	192.00
	0	0	24.00			216.00
1	-1119.09	210	4.50	1/10/2011 7:00	1/10/2011 11:30	220.50
	0	0	19.50			240.00
1	-1119.09	238	5.10	1/11/2011 7:00	1/11/2011 12:06	245.10
	0	0	18.90			264.00
2	-2238.18	482	5.17	1/12/2011 7:00	1/12/2011 12:10	289.17
	0	0	18.83			288.00
2	-2238.18	499	5.35	1/13/2011 7:00	1/13/2011 12:21	293.35
	0	0	18.65			312.00
2	-2238.18	593	6.36	1/14/2011 7:00	1/14/2011 13:21	318.36
	0	0	17.64			336.00
2	-2238.18	499	5.35	1/15/2011 7:00	1/15/2011 12:21	341.35
	0	0	18.65			360.00
0	0	0	0.00	1/16/2011 7:00	1/16/2011 7:00	360.00
	0	0	24.00			384.00
2	-2238.18	708	7.59	1/17/2011 7:00	1/17/2011 14:35	391.59
	0	0	16.41			408.00
2	-2238.18	683	7.32	1/18/2011 7:00	1/18/2011 14:19	415.32
	0	0	16.68			432.00
2	-2238.18	545	5.84	1/19/2011 7:00	1/19/2011 12:50	437.84
	0	0	18.16			456.00
0	0	0	0.00	1/20/2011 7:00	1/20/2011 7:00	456.00
	0	0	24.00			480.00
2	-2238.18	640	6.86	1/21/2011 7:00	1/21/2011 13:51	486.86
	0	0	17.14			504.00
0	0	0	0.00	1/22/2011 7:00	1/22/2011 7:00	504.00
	0	0	24.00			528.00
0	0	0	0.00	1/23/2011 7:00	1/23/2011 7:00	528.00
	0	0	24.00			552.00
2	-2238.18	572	6.13	1/24/2011 7:00	1/24/2011 13:08	558.13
	0	0	17.87			576.00
2	-2238.18	866	9.29	1/25/2011 7:00	1/25/2011 16:17	585.29
	0	0	14.71			600.00
1	-1119.09	296	6.35	1/26/2011 7:00	1/26/2011 13:20	606.35
	0	0	17.65			624.00
1	-1119.09	159	3.41	1/27/2011 7:00	1/27/2011 10:24	627.41
	0	0	20.59			646.00
2	-2238.18	533	5.72	1/28/2011 7:00	1/28/2011 12:42	653.72
	0	0	18.28			672.00
0	0	0	0.00	1/29/2011 7:00	1/29/2011 7:00	672.00
	0	0	24.00			696.00
0	0	0	0.00	1/30/2011 7:00	1/30/2011 7:00	696.00
	0	0	24.00			720.00
2	-2238.18	737	7.90	1/31/2011 7:00	1/31/2011 14:54	727.90
	0	0	16.10			744.00
2	-2238.18	608	6.52	2/1/2011 7:00	2/1/2011 13:31	750.52
	0	0	17.48			768.00
1	-1119.09	182	3.90	2/2/2011 7:00	2/2/2011 10:54	771.90
	0	0	20.10			792.00
1	-1119.09	208	4.46	2/3/2011 7:00	2/3/2011 11:27	796.46
	0	0	19.54			816.00
1	-1119.09	91	1.95	2/4/2011 7:00	2/4/2011 8:57	817.95
	0	0	22.05			840.00
0	0	0	0.00	2/5/2011 7:00	2/5/2011 7:00	840.00
	0	0	24.00			864.00
0	0	0	0.00	2/6/2011 7:00	2/6/2011 7:00	864.00


SUMMARY INJECTION HISTORY			
START	END	RATE	HRS
0.00	96.00	0	96.00
96.00	101.63	-2238.18	5.63
101.63	120.00	0	18.37
120.00	126.08	-2238.18	6.08
126.08	144.00	0	17.92
144.00	152.84	-1119.09	8.84
152.84	216.00	0	63.16
216.00	220.50	-1119.09	4.50
220.50	240.00	0	19.50
240.00	245.10	-1119.09	5.10
245.10	264.00	0	18.90
264.00	269.17	-2238.18	5.17
269.17	288.00	0	18.83
288.00	293.35	-2238.18	5.35
293.35	312.00	0	18.65
312.00	318.36	-2238.18	6.36
318.36	336.00	0	17.64
336.00	341.35	-2238.18	5.35
341.35	384.00	0	42.65
384.00	391.59	-2238.18	7.59
391.59	408.00	0	16.41
408.00	415.32	-2238.18	7.32
415.32	432.00	0	16.68
432.00	437.84	-2238.18	5.84
437.84	480.00	0	42.16
480.00	486.86	-2238.18	6.86
486.86	552.00	0	65.14
552.00	558.13	-2238.18	6.13
558.13	576.00	0	17.87
576.00	585.29	-2238.18	9.29
585.29	600.00	0	14.71
600.00	606.35	-1119.09	6.35
606.35	624.00	0	17.65
624.00	627.41	-1119.09	3.41
627.41	648.00	0	20.59
648.00	653.72	-2238.18	5.72
653.72	720.00	0	66.28
720.00	727.90	-2238.18	7.90
727.90	744.00	0	16.10
744.00	750.52	-2238.18	6.52
750.52	768.00	0	17.48
768.00	771.90	-1119.09	3.90
771.90	792.00	0	20.10
792.00	796.46	-1119.09	4.46
796.46	816.00	0	19.54
816.00	817.95	-1119.09	1.95
817.95	888.00	0	70.05
888.00	894.36	-2238.18	6.36
894.36	912.00	0	17.64
912.00	918.02	-2238.18	6.02
918.02	936.00	0	17.98
936.00	942.69	-1119.09	6.69
942.69	960.00	0	17.31
960.00	965.85	-1119.09	5.85
965.85	984.00	0	18.15
984.00	992.33	-2238.18	8.33
992.33	1056.00	0	63.67
1056.00	1066.11	-2238.18	10.11
1066.11	1080.00	0	13.89
1080.00	1088.71	-2238.18	8.71
1088.71	1104.00	0	15.29
1104.00	1113.61	-2238.18	9.61
1113.61	1128.00	0	14.39
1128.00	1135.81	-1119.09	7.81
1135.81	1152.00	0	16.19
1152.00	1157.73	-2238.18	5.73
1157.73	1224.00	0	66.27
1224.00	1231.99	-2238.18	7.99
1231.99	1248.00	0	16.01
1248.00	1254.61	-1119.09	6.61
1254.61	1272.00	0	17.39


	0	24.00			888.00
2	-2238.18	593	6.36	2/7/2011 7:00	2/7/2011 13:21
	0	17.64			894.36
2	-2238.18	561	6.02	2/8/2011 7:00	2/8/2011 13:00
	0	17.98			912.00
1	-1119.09	312	6.69	2/9/2011 7:00	2/9/2011 13:41
	0	17.31			918.02
1	-1119.09	273	5.85	2/10/2011 7:00	2/10/2011 12:51
	0	18.15			936.00
2	-2238.18	777	8.33	2/11/2011 7:00	2/11/2011 15:19
	0	15.67			992.33
0	0	0.00	2/12/2011 7:00	2/12/2011 7:00	1008.00
	0	24.00			1008.00
0	0	0.00	2/13/2011 7:00	2/13/2011 7:00	1032.00
	0	24.00			1056.00
2	-2238.18	943	10.11	2/14/2011 7:00	2/14/2011 17:06
	0	13.89			1066.11
2	-2238.18	812	8.71	2/15/2011 7:00	2/15/2011 15:42
	0	15.29			1088.71
2	-2238.18	896	9.61	2/16/2011 7:00	2/16/2011 16:36
	0	14.39			1113.61
1	-1119.09	364	7.81	2/17/2011 7:00	2/17/2011 14:48
	0	16.19			1135.81
2	-2238.18	534	5.73	2/18/2011 7:00	2/18/2011 12:43
	0	18.27			1157.73
0	0	0.00	2/19/2011 7:00	2/19/2011 7:00	1176.00
	0	24.00			1200.00
0	0	0.00	2/20/2011 7:00	2/20/2011 7:00	1224.00
2	-2238.18	745	7.99	2/21/2011 7:00	2/21/2011 14:59
	0	16.01			1248.00
1	-1119.09	308	6.61	2/22/2011 7:00	2/22/2011 13:36
	0	17.39			1254.61
1	-1119.09	274	5.88	2/23/2011 7:00	2/23/2011 12:52
	0	18.12			1277.88
2	-2238.18	474	5.08	2/24/2011 7:00	2/24/2011 12:04
	0	18.92			1301.08
2	-2238.18	826	8.86	2/25/2011 7:00	2/25/2011 15:51
	0	15.14			1320.00
0	0	0.00	2/26/2011 7:00	2/26/2011 7:00	1344.00
	0	24.00			1368.00
0	0	0.00	2/27/2011 7:00	2/27/2011 7:00	1368.00
	0	24.00			1392.00
2	-2238.18	554	5.94	2/28/2011 7:00	2/28/2011 12:56
	0	18.06			1397.94
1	-1119.09	271	5.81	3/1/2011 7:00	3/1/2011 12:48
	0	18.19			1421.81
2	-2238.18	490	5.25	3/2/2011 7:00	3/2/2011 12:15
	0	18.75			1440.00
1	-1119.09	419	8.99	3/3/2011 7:00	3/3/2011 15:59
	0	15.01			1488.00
2	-2238.18	615	6.59	3/4/2011 7:00	3/4/2011 13:35
	0	17.41			1494.59
0	0	0.00	3/5/2011 7:00	3/5/2011 7:00	1512.00
	0	24.00			1536.00
0	0	0.00	3/6/2011 7:00	3/6/2011 7:00	1536.00
	0	24.00			1560.00
2	-2238.18	921	9.88	3/7/2011 7:00	3/7/2011 16:52
	0	14.12			1584.00
2	-2238.18	649	6.96	3/8/2011 7:00	3/8/2011 13:57
	0	17.04			1590.96
2	-2238.18	675	7.24	3/9/2011 7:00	3/9/2011 14:14
	0	16.78			1615.24
1	-1119.09	302	6.48	3/10/2011 7:00	3/10/2011 13:28
	0	17.52			1638.48
2	-2238.18	627	6.72	3/11/2011 7:00	3/11/2011 13:43
	0	17.28			1662.72
0	0	0.00	3/12/2011 7:00	3/12/2011 7:00	1680.00
	0	24.00			1704.00
0	0	0.00	3/13/2011 7:00	3/13/2011 7:00	1704.00
	0	24.00			1728.00
1	-1119.09	280	6.00	3/14/2011 7:00	3/14/2011 13:00
	0	18.00			1734.00
	0	18.00			1752.00
1	-1119.09	161	3.88	3/15/2011 7:00	3/15/2011 10:52
	0	20.12			1755.88
2	-2238.18	668	7.16	3/16/2011 7:00	3/16/2011 14:09
	0	16.84			1783.16
2	-2238.18	503	5.39	3/17/2011 7:00	3/17/2011 12:23
	0	18.61			1800.00
1	-1119.09	201	4.31	3/18/2011 7:00	3/18/2011 11:18
	0	19.69			1824.00
					1848.00

1272.00	1277.88	-1119.09	5.86
1277.88	1296.00	0	18.12
1296.00	1301.08	-2238.18	5.08
1301.08	1320.00	0	18.92
1320.00	1328.86	-2238.18	8.86
1328.86	1392.00	0	63.14
1392.00	1397.94	-2238.18	5.94
1397.94	1416.00	0	18.06
1416.00	1421.81	-1119.09	5.81
1421.81	1440.00	0	18.19
1440.00	1445.25	-2238.18	5.25
1445.25	1464.00	0	18.75
1464.00	1472.99	-1119.09	8.99
1472.99	1488.00	0	15.01
1488.00	1494.59	-2238.18	6.59
1494.59	1560.00	0	65.41
1560.00	1569.88	-2238.18	9.68
1569.88	1584.00	0	14.12
1584.00	1590.96	-2238.18	6.96
1590.96	1608.00	0	17.04
1608.00	1615.24	-2238.18	7.24
1615.24	1632.00	0	16.76
1632.00	1638.48	-1119.09	6.48
1638.48	1656.00	0	17.52
1656.00	1662.72	-2238.18	6.72
1662.72	1728.00	0	65.28
1728.00	1734.00	-1119.09	6.00
1734.00	1752.00	0	18.00
1752.00	1755.88	-1119.09	3.88
1755.88	1776.00	0	20.12
1776.00	1783.16	-2238.18	7.16
1783.16	1800.00	0	16.84
1800.00	1805.39	-2238.18	5.39
1805.39	1824.00	0	18.81
1824.00	1828.31	-1119.09	4.31
1828.31	1920.00	0	91.69
1920.00	1944.00	-2238.18	24.00
1944.00	1944.00	0	0.00
1944.00	1945.50	-1119.09	1.50
1945.50	2065.14	0	119.64
2065.14	2075.43	-2238.18	10.29
2075.43	2088.00	0	12.57
2088.00	2098.21	-2238.18	10.21
2098.21	2112.00	0	13.79
2112.00	2121.63	-2238.18	9.63
2121.63	2136.00	0	14.37
2136.00	2142.88	-1119.09	6.88
2142.88	2160.00	0	17.12
END OF TEST		SUM-->	2160.00

0	0	0	0.00	3/19/2011 7:00	3/19/2011 7:00	1848.00
		0	24.00			1872.00
0	0	0	0.00	3/20/2011 7:00	3/20/2011 7:00	1872.00
		0	24.00			1896.00
0	0	0	0.00	3/21/2011 7:00	3/21/2011 7:00	1896.00
		0	24.00			1920.00
1	-1119.09	1119.09	24.00	3/22/2011 7:00	3/23/2011 7:00	1944.00
	0		0.00			1944.00
1	-1119.09	70	1.50	3/23/2011 7:00	3/23/2011 8:30	1945.50
	0		22.50			1968.00
0	0	0	0.00	3/24/2011 7:00	3/24/2011 7:00	1968.00
	0		24.00			1992.00
0	0	0	0.00	3/25/2011 7:00	3/25/2011 7:00	1992.00
	0		24.00			2016.00
0	0	0	0.00	3/26/2011 7:00	3/26/2011 7:00	2016.00
	0		24.00			2040.00
0	0	0	0.00	3/27/2011 7:00	3/27/2011 7:00	2040.00
	0		25.14			2065.14
2	-2238.18	960	10.29	3/28/2011 8:08	3/28/2011 18:26	2075.43
	0		12.57			2088.00
2	-2238.18	952	10.21	3/29/2011 7:00	3/29/2011 17:12	2098.21
	0		13.79			2112.00
2	-2238.18	898	9.63	3/30/2011 7:00	3/30/2011 16:37	2121.63
	0		14.37			2136.00
1	-1119.09	321	6.88	3/31/2011 7:00	3/31/2011 13:53	2142.88
	0		17.12			2160.00
				4/1/2011 7:00		

Suckla Farms Well #1 Injection History, 2011





Pioneer Petrotech Services Inc.
Unit Q, 1235 - 40 Ave. NE, Calgary, AB, Canada, T2E 6M9
Tel: (403)282-7669, Fax: (403)282-0509, Email: info@pioneerps.com

Calibration Certificate

Model: PPS25

Pressure Range: 10,000 psi

Serial Number: 4185

Calibration Date: Oct 15 2010

Specifications

Pressure Range:	Minimum: 13 psia	Maximum: 10,000 psia
Temperature Range:	Minimum: 0 °C	Maximum: 150 °C
Pressure Accuracy:	± 0.03 %F.S.	
Temperature Accuracy:	± 0.5 °C	
Housing Material:	INCONEL 718	
Housing ODI:	1.25"	

Calibration Summary

Calibration Pressure Range:	Minimum: 13.54 psia	Maximum: 10,049 psia
Calibration Temperature Range:	Minimum: 0.38 °C	Maximum: 152 °C
Pressure Accuracy (Maximum Error):	— 2.25 psi	
Temperature Accuracy (Maximum Error):	— 0.41 °C	

Working Standards

Sun Systems Environmental Chamber, Model: EC12
QuartzDyne Transducer Interface and Display, Model: Series I
QuartzDyne High Pressure Transducer, Model: QS20K-B

Traceability Statement

All working standards are traceable to nationally or internationally recognized standards.

App
Pioneer Petrotech Services Inc.

Apr 15 2010
Date



Pioneer Petrotech Services Inc.
Unit Q, 1235 - 40 Ave. NE, Calgary, AB, Canada, T2E 6M9
Tel: (403)282-7669, Fax: (403)282-0509, Email: info@pioneerps.com

Calibration Certificate

Model: PPS25

Pressure Range: 10,000 psi

Serial Number: 4186

Calibration Date: Oct 15 2010

Specifications

Pressure Range:	Minimum: 13 psia	Maximum: 10,000 psia
Temperature Range:	Minimum: 0 °C	Maximum: 150°C
Pressure Accuracy:	± 0.03 %F.S.	
Temperature Accuracy:	± 0.5°C	
Housing Material:	INCONEL 718	
Housing ODI:	1.25"	

Calibration Summary

Calibration Pressure Range:	Minimum: 13.54psia	Maximum: 10,049psia
Calibration Temperature Range:	Minimum: 0.38°C	Maximum: 152°C
Pressure Accuracy (Maximum Error):	± 2.3Dpsi	
Temperature Accuracy (Maximum Error):	± 0.50°C	

Working Standards

Sun Systems Environmental Chamber, Model: EC12
QuartzDyne Transducer Interface and Display, Model: Series I
QuartzDyne High Pressure Transducer, Model: QS20K-B

Traceability Statement

All working standards are traceable to nationally or internationally recognized standards.

John
Pioneer Petrotech Services Inc.


Amber
Date

Suckla Farms Injection Well #1
SENW 10-T1N-R67W
Lyons Sandstone: 9276'-9418'
Test Date: March 19-28, 2011

EPA Permit No: CO10938-02115
API#: 05-123-14291
Analysis: Peterson Energy Management, Inc.
C.L.D.

Diagnostic Analysis 1

Total Test




Suckla Farms Injection Well #1
SENW 10-T1N-R67W
Lyons Sandstone: 9276'-9418'
Test Date: March 19-28, 2011

Diagnostic Analysis 1

Derivative

EPA Permit No: CO10938-02115
API#: 05-123-14291
Analysis: Peterson Energy Management, Inc.
C.L.D.






Suckla Farms Injection Well #1
SENW 10-T1N-R67W
Lyons Sandstone: 9276'-9418'
Test Date: March 19-28, 2011


EPA Permit No: CO10938-02115
API#: 05-123-14291
Analysis: Peterson Energy Management, Inc.
C.L.D.

Diagnostic Analysis 1 Radial



WellTest32™ Ver 7.3.0.44


F:\WELL REPORTS\KP Kauffman\2011 Survey\Suckla Farms #1 PTA 2011, V.2.01.lkt 25-Apr-11



Suckla Farms Injection Well #1
SENW 10-T1N-R67W
Lyons Sandstone: 9276'-9418'
Test Date: March 19-28, 2011

EPA Permit No: CO10938-02115
API#: 05-123-14291
Analysis: Peterson Energy Management, Inc.
C.L.D.

Diagnostic Analysis 1 Comparison Plot




Suckla Farms Model

Suckla Farms Injection Well #1
SENW 10-T1N-R67W
Lyons Sandstone: 9276'-9418'
Test Date: March 19-28, 2011

$k_1 = 3.2062 \text{ md}$
 $s_{d1} = -4.638$
 $k_2 = 1.0739 \text{ md}$
 $s_{d2} = -3.777$

Side View

(Not to scale)



Suckla Farms Model


(Layer 1)

Suckla Farms Injection Well #1
SENW 10-T1N-R67W
Lyons Sandstone: 9276'-9418'
Test Date: March 19-28, 2011

$k_1 = 3.2062 \text{ md}$
 $s_{d1} = -4.638$
 $k_2 = 1.0739 \text{ md}$
 $s_{d2} = -3.777$


Plan View

(Not to scale)



Side View

(Not to scale)



Suckla Farms Model


(Layer 2)

Suckla Farms Injection Well #1
SENW 10-T1N-R67W
Lyons Sandstone: 9276'-9418'
Test Date: March 19-28, 2011

$k_1 = 3.2062 \text{ md}$
 $s_{d1} = -4.638$
 $k_2 = 1.0739 \text{ md}$
 $s_{d2} = -3.777$


Plan View

(Not to scale)



Side View

(Not to scale)



Water Model - Suckla Farms Model

Analysis Results

	Layer 1	Layer 2
Total Mobility of Layer 1 ($(k/\mu)_L$)	13.86 md/cP	4.64 md/cP
Effective Permeability (k_L)	3.2062 md	1.0739 md
Net Pay (h_1)	78.000 ft	64.000 ft
Total Skin (s'_1)	-4.638	-3.777
Skin Due to Damage (s_{d1})	-4.638	-3.777
Viscosity (μ_L)	0.2313 cP	0.2313 cP
Total Porosity (ϕ_{L1})	6.00 %	6.00 %
Gas Saturation (S_{g1})	0.00 %	0.00 %
Oil Saturation (S_{o1})	0.00 %	0.00 %
Water Saturation (S_{w1})	100.00 %	100.00 %
Formation Compressibility (c_{f1})	6.010e-06 1/psi	6.010e-06 1/psi
Total Compressibility (c_{t1})	9.347e-06 1/psi	9.347e-06 1/psi
Length of Reservoir (X_{e1})	ft	ft
Width of Reservoir (Y_{e1})	ft	ft
Location of Well in X direction (X_{w1})	ft	ft
Location of Well in Y direction (Y_{w1})	88.212 ft	122.520 ft
Wellbore Volume (V_w)		145 bbl
Dim. Apparent Wellbore Storage Constant (C_{wD})		0.016
Dim. Wellbore Storage Constant (C_D)		49641.639
Dim. Wellbore Storage Pressure Parameter (C_{pD})		0.345

Reservoir Parameters

Wellbore Radius (r_w) 0.328 ft

Production and Pressures

Total Fluid Rate (in situ) ($(q\beta)_i$)	-1148.9 rbbl/d
Final Gas Rate (q_g final)	0.000 MMscfd
Final Water Rate (q_w final)	-1089.0 bbl/d
Total Cumulative Production Water (Cum _{water})	-27.95 Mbbl
Final Flowing Pressure (p_{wf0})	4448.4 psi(a)
Final Measured Pressure (p_{last})	psi(a)

Fluid Properties

Reservoir Temperature (T_{resv})	241.7 °F
Reservoir Pressure (p_{resv})	3838.0 psi(a)
Water Specific Gravity (γ_w)	1.020
Water Viscosity (μ_w)	0.2394 cP
Water Compressibility (c_w)	3.337e-06 1/psi
Water Formation Volume Factor (B_w)	1.055
Solution Gas Ratio (R_{sw})	0.0 scf/bbl

Synthesis Results

Average Error (E_{avg})	0.06 %
Synthetic Initial Pressure (p_i (syn))	3878.3 psi(a)
Extrapolated Model Pressure (p^* model)	3885.8 psi(a)
Pressure Drop Due to Total Skin (Δp_{skin})	0.0 psi(a)
Flow Efficiency (FE)	1.000
Damage Ratio (DR)	1.000

Forecasts

Forecast Flowing Pressure (Report) (p_{flow})	4303.9 psi(a)
Forecast Rate at 3 Months and Current Skin (q @ 3 Months)	-455.8 bbl/d
Forecast Rate at 6 Months and Current Skin (q @ 6 Months)	-421.3 bbl/d
Constant Rate Forecast Flow Time (Report) (t_{flow})	8766.00 h
Forecast Rate at Specified Time and Current Skin (q @ Current Skin)	-391.8 bbl/d
Stabilized Injectivity Index @ Current Skin (II_{Actual})	1.008 (bbl/d)/psi
Forecast Rate at Specified Time and Skin = 0 (q @ 0 Skin)	-267.3 bbl/d
Stabilized Injectivity Index @ Skin = 0 (II_{ideal})	0.672 (bbl/d)/psi
Forecast Rate at Specified Time and Skin = -4 (q @ -4 Skin)	-372.6 bbl/d

Suckla Farms Injection Well #1

SENW 10-T1N-R67W

Lyons Sandstone: 9276'-9418'


Test Date: March 19-28, 2011

EPA Permit No: CO10938-02115

API#: 05-123-14291

Analysis: Peterson Energy Management, Inc.
C.L.D.

Radial



Suckla Farms Injection Well #1

SENW 10-T1N-R67W

Lyons Sandstone: 9276'-9418'


Test Date: March 19-28, 2011


EPA Permit No: CO10938-02115

API#: 05-123-14291

Analysis: Peterson Energy Management, Inc.
C.L.D.


Total Test





Suckla Farms Injection Well #1
SENW 10-T1N-R67W
Lyons Sandstone: 9276'-9418'
Test Date: March 19-28, 2011

EPA Permit No: CO10938-02115
API#: 05-123-14291
Analysis: Peterson Energy Management, Inc.
C.L.D.





LIGHTNING WIRELINE

A Bonar Services (U.S.) Ltd. Company

**Wattenberg Disposal
Suckla Farms Injection Well #1
SE NW Sec. 10 T1N R67W
Injection/Static Gradient
2011-03-21 to 2011-03-28**

LIGHTNING WIRELINE

A Lankar Services (U.S.) Ltd. Company

Company: Wattenberg Disposal
Address: c/o Lightning Wireline 405 Main St. Platteville, CO 80651
Well Name: Suckla Farms Injection Well #1
Location: SE NW Sec.10 T1N-R67W
Field: Wattenberg
Status: Gas
Orientation: Vertical

Test Information

Test Type: Injection - Static Gradient
Date Of Test: 2011-03-21 to 2011-03-28
Shut In Date: 2011-03-23 7:02:00
On Bottom 2011-03-21 7:26:00
Off Bottom 2011-03-28 6:52:00

	Packer:	Yes @ 9040.00 ft
Tubing:	ID:	N/A
Casing:	ID:	N/A
Tubing Pressure:	Before:	3852.00 psi (g)
Casing Pressure:	Before:	N/A
	After:	3802.00 psi(g)
	After:	N/A

Perforations: 9347.00 ft mPP

Pool:	Top Depth	Base Depth
Lyons	9276.00	9418.00 ft

Gauge Data

	<u>Bottom</u>	<u>Top</u>
Gauge Type:	PPS25 - Strain	PPS25 - Strain
Serial Number:	4186	4185
Run depth:	9020.00 ft	9019.00 ft
Battery On Time:	2011-03-21 6:55:00	2011-03-21 6:55:00
Battery Off Time:	2011-03-28 8:08:00	2011-03-28 8:08:00
Calibration Date:	2010-10-15	2010-10-15
Pressure Range:	10,000 psi(g)	10,000 psi(g)
Accuracy:	0.03 % FS	0.03 % FS
Resolution:	0.0003 % FS	0.0003 % FS

Remarks:

This report has been created for you by Gina Marsh
Please call (403) 347-9727 if you have any questions or comments. Thank you.

STATIC GRADIENT - March 28, 2011

**Wattenberg Disposal
Suckla Farms Injection Well #1**

UWI:	SE NW Sec.10 T1N-R67W	KB Elevation:	Not available
Field:	Wattenberg	GL Elevation:	Not available
Formation:	Lyons	CF Elevation:	Not available
Status:	02 - Gas	Top of Production Interval:	9276.000 ftKB
License:		Btm of Production Interval:	9418.000 ftKB
Well Type:	Vertical	Mid Point of Prod. Interval:	9347.00 ftKB
Start of Test:	March 28, 2011 06:51	Initial Tubing Pressure:	3852.00 psi(g)
Final Test Date and Time:	March 28, 2011 08:08	Initial Casing Pressure:	N/A
Shut-In Date and Time:	March 23, 2011 07:02	Shut-In Duration:	119.8256 hr

Gauge Type:	Bottom	Top
	PPS 25 - Strain	PPS25 - Strain
Manufacturer:	Pioneer Petrotech Services	Pioneer Petrotech Services
Serial Number:	4186	4185
Pressure Range:	0 - 10000.00 psi(g)	0 - 10000.00 psi(g)
Resolution:	0.00030 % FS	0.00030 % FS
Accuracy:	0.03000 % FS	0.03000 % FS
Calibration Date:	October 15, 2010	October 15, 2010
Battery On Time:	March 21, 2011 06:55	March 21, 2011 06:55
Battery Off Time:	March 28, 2011 08:08	March 28, 2011 08:08
On Bottom Time:	March 21, 2011 07:26	March 21, 2011 07:26
Off Bottom Time:	March 28, 2011 06:52	March 28, 2011 06:52
Run Depth:	9020.00 ftKB	9019.00 ftKB
Pressure at Run Depth:	3828.73 psi(g)	3829.50 psi(g)
Pressure at MPP:	3981.19 psi(g)	3983.70 psi(g)
Representative Gradient:	0.425 psi/ft	0.426 psi/ft
Temperature at Run Depth:	244.48 °F	245.32 °F
Liquid Level:	No Liquid Level	No Liquid Level

Bottom Gradient				
Depth	Temp.	Pressure	Calc. Grad	Temp. Grad
ftKB	°F	psi(g)	psi/ft	°F/ft
0.00	56.59	1.60	0.350	0.021
500.00	67.18	176.61	0.398	0.011
1000.00	72.83	375.51	0.437	0.015
1500.00	80.41	594.10	0.437	0.018
2000.00	89.63	812.40	0.435	0.018
3500.00	117.36	1464.25	0.433	0.020
5000.00	147.67	2113.91	0.427	0.022
7500.00	203.72	3182.64	0.425	0.027
9020.00	244.48	3828.73		


Time	Top Gradient				
	Depth	Temp.	Pressure	Calc. Grad	Temp. Grad
hh:mm:ss	ftKB	°F	psi(g)	psi/ft	°F/ft
07:59:32	0.00	59.01	1.31	0.349	0.016
07:52:32	499.00	66.93	175.52	0.398	0.011
07:44:32	999.00	72.45	374.45	0.438	0.015
07:36:32	1499.00	79.91	593.30	0.436	0.017
07:29:32	1999.00	88.61	811.44	0.435	0.019
07:20:32	3499.00	117.71	1463.84	0.433	0.020
07:11:32	4999.00	147.91	2113.45	0.428	0.022
07:01:32	7499.00	204.14	3182.65	0.426	0.027
06:51:32	9019.00	245.32	3829.50		

Remarks:

Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons


Bottom Pressure Gradient



Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons


Top Pressure Gradient



Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons


Suckla Farms Injection Well #1



Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons

Difference Plot



Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons

	Gauge 1 Date yyyy/mm/dd	Gauge 1 Clk Time hh:mm:ss	Gauge 1 Time hr	Gauge 1 Pres. psi(g)	Gauge 1 Temp. °F	Gauge 2 Clk Time hh:mm:ss	Gauge 2 Time hr	Gauge 2 Pres. psi(g)	Gauge 2 Temp. °F	Gauge 2 G1 - G2 psi
1	2011/03/21	06:55:01	0.0003	0.17	57.79	06:55:01	0.0003	0.32	58.37	-0.02
2	2011/03/21	06:55:30	0.0083	0.18	58.08	06:55:30	0.0083	0.28	59.10	-0.01
3	2011/03/21	07:00:02	0.0839	0.27	53.18	07:00:02	0.0839	0.16	52.71	0.02
4	2011/03/21	07:04:52	0.1644	389.03	56.90	07:04:52	0.1644	385.28	55.61	0.54
5	2011/03/21	07:09:42	0.2450	1190.47	75.74	07:09:42	0.2450	1186.32	73.38	0.60
6	2011/03/21	07:14:32	0.3256	1997.99	106.22	07:14:32	0.3256	1995.01	101.89	0.43
7	2011/03/21	07:19:22	0.4061	2801.68	141.62	07:19:22	0.4061	2799.14	135.17	0.37
8	2011/03/21	07:24:12	0.4867	3592.08	182.57	07:24:12	0.4867	3590.60	174.55	0.21
9	2011/03/21	07:29:02	0.5672	3834.03	221.24	07:29:02	0.5672	3834.49	213.89	-0.07
10	2011/03/21	07:33:52	0.6478	3851.03	231.70	07:33:52	0.6478	3851.64	227.39	-0.09
11	2011/03/21	07:38:42	0.7283	3858.61	236.60	07:38:42	0.7283	3859.43	234.10	-0.12
12	2011/03/21	07:43:32	0.8089	3856.06	238.80	07:43:32	0.8089	3856.57	237.27	-0.07
13	2011/03/21	07:48:22	0.8894	3855.52	239.23	07:48:22	0.8894	3856.02	238.56	-0.07
14	2011/03/21	07:53:12	0.9700	3855.27	239.42	07:53:12	0.9700	3855.60	239.26	-0.05
15	2011/03/21	07:58:02	1.0506	3854.93	239.57	07:58:02	1.0506	3855.41	239.72	-0.07
16	2011/03/21	08:02:52	1.1311	3854.81	239.68	08:02:52	1.1311	3855.18	240.01	-0.05
17	2011/03/21	08:07:42	1.2117	3854.64	239.78	08:07:42	1.2117	3855.08	240.24	-0.06
18	2011/03/21	08:12:32	1.2922	3854.50	239.85	08:12:32	1.2922	3854.92	240.42	-0.06
19	2011/03/21	08:17:22	1.3728	3854.46	239.92	08:17:22	1.3728	3854.80	240.55	-0.05
20	2011/03/21	08:22:12	1.4533	3854.38	239.97	08:22:12	1.4533	3854.79	240.65	-0.06
21	2011/03/21	08:27:02	1.5339	3854.14	240.01	08:27:02	1.5339	3854.65	240.73	-0.07
22	2011/03/21	08:31:52	1.6144	3854.08	240.05	08:31:52	1.6144	3854.55	240.79	-0.07
23	2011/03/21	08:36:42	1.6950	3854.00	240.08	08:36:42	1.6950	3854.42	240.84	-0.06
24	2011/03/21	08:41:32	1.7756	3853.86	240.10	08:41:32	1.7756	3854.28	240.88	-0.06
25	2011/03/21	08:46:22	1.8561	3853.89	240.12	08:46:22	1.8561	3854.25	240.91	-0.05
26	2011/03/21	08:51:12	1.9367	3853.70	240.13	08:51:12	1.9367	3854.29	240.93	-0.08
27	2011/03/21	08:56:02	2.0172	3853.68	240.15	08:56:02	2.0172	3854.00	240.95	-0.05
28	2011/03/21	09:00:52	2.0978	3853.59	240.17	09:00:52	2.0978	3854.03	240.97	-0.06
29	2011/03/21	09:05:42	2.1783	3853.45	240.18	09:05:42	2.1783	3853.96	240.99	-0.07
30	2011/03/21	09:10:32	2.2589	3853.52	240.20	09:10:32	2.2589	3853.86	241.00	-0.05
31	2011/03/21	09:15:22	2.3394	3853.47	240.20	09:15:22	2.3394	3853.79	241.02	-0.05
32	2011/03/21	09:20:12	2.4200	3853.36	240.21	09:20:12	2.4200	3853.76	241.03	-0.06
33	2011/03/21	09:25:02	2.5006	3853.29	240.21	09:25:02	2.5006	3853.54	241.04	-0.04
34	2011/03/21	09:29:52	2.5811	3853.09	240.22	09:29:52	2.5811	3853.58	241.05	-0.07
35	2011/03/21	09:34:42	2.6617	3853.09	240.23	09:34:42	2.6617	3853.46	241.05	-0.05
36	2011/03/21	09:39:32	2.7422	3853.00	240.22	09:39:32	2.7422	3853.35	241.06	-0.05
37	2011/03/21	09:44:22	2.8228	3852.91	240.21	09:44:22	2.8228	3853.34	241.05	-0.06
38	2011/03/21	09:49:12	2.9033	3852.77	240.21	09:49:12	2.9033	3853.23	241.05	-0.07
39	2011/03/21	09:54:02	2.9839	3852.70	240.22	09:54:02	2.9839	3853.28	241.05	-0.08
40	2011/03/21	09:58:52	3.0644	3852.75	240.22	09:58:52	3.0644	3853.12	241.06	-0.05
41	2011/03/21	10:03:42	3.1450	3852.62	240.22	10:03:42	3.1450	3853.03	241.06	-0.06
42	2011/03/21	10:08:32	3.2256	3852.49	240.23	10:08:32	3.2256	3852.92	241.07	-0.06
43	2011/03/21	10:13:22	3.3061	3852.44	240.23	10:13:22	3.3061	3852.91	241.07	-0.07
44	2011/03/21	10:18:12	3.3867	3852.48	240.24	10:18:12	3.3867	3852.88	241.08	-0.06

Bottom Serial Number: 4186 Start Date: 2011/03/21 06:55:00 Run Depth: 9020.00

Top Serial Number: 4185 Start Date: 2011/03/21 06:55:00 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons

	Gauge 1 Date yyyy/mm/dd	Gauge 1 Clk Time hh:mm:ss	Gauge 1 Time hr	Gauge 1 Pres. psi(g)	Gauge 1 Temp. °F	Gauge 2 Clk Time hh:mm:ss	Gauge 2 Time hr	Gauge 2 Pres. psi(g)	Gauge 2 Temp. °F	Gauge 2 G1 - G2 psi
45	2011/03/21	10:23:02	3.4672	3852.41	240.24	10:23:02	3.4672	3852.72	241.08	-0.04
46	2011/03/21	10:27:52	3.5478	3852.32	240.25	10:27:52	3.5478	3852.45	241.09	-0.02
47	2011/03/21	10:32:42	3.6283	3852.16	240.26	10:32:42	3.6283	3852.67	241.09	-0.07
48	2011/03/21	10:37:32	3.7089	3852.05	240.27	10:37:32	3.7089	3852.43	241.10	-0.05
49	2011/03/21	10:42:22	3.7894	3852.03	240.27	10:42:22	3.7894	3852.40	241.10	-0.05
50	2011/03/21	10:47:12	3.8700	3852.04	240.28	10:47:12	3.8700	3852.49	241.11	-0.06
51	2011/03/21	10:52:02	3.9506	3851.99	240.29	10:52:02	3.9506	3852.30	241.12	-0.04
52	2011/03/21	10:56:52	4.0311	3851.84	240.31	10:56:52	4.0311	3852.21	241.13	-0.05
53	2011/03/21	11:01:42	4.1117	3851.93	240.32	11:01:42	4.1117	3852.23	241.14	-0.04
54	2011/03/21	11:06:32	4.1922	3851.81	240.33	11:06:32	4.1922	3852.25	241.15	-0.06
55	2011/03/21	11:11:22	4.2728	3851.82	240.35	11:11:22	4.2728	3852.12	241.16	-0.04
56	2011/03/21	11:16:12	4.3533	3851.65	240.36	11:16:12	4.3533	3851.97	241.18	-0.05
57	2011/03/21	11:21:02	4.4339	3851.70	240.37	11:21:02	4.4339	3852.01	241.19	-0.05
58	2011/03/21	11:25:52	4.5144	3851.60	240.38	11:25:52	4.5144	3851.86	241.20	-0.04
59	2011/03/21	11:30:42	4.5950	3851.63	240.39	11:30:42	4.5950	3851.90	241.21	-0.04
60	2011/03/21	11:35:32	4.6756	3851.47	240.40	11:35:32	4.6756	3851.90	241.22	-0.06
61	2011/03/21	11:40:22	4.7561	3851.39	240.41	11:40:22	4.7561	3851.73	241.23	-0.05
62	2011/03/21	11:45:12	4.8367	3851.32	240.42	11:45:12	4.8367	3851.74	241.24	-0.06
63	2011/03/21	11:50:02	4.9172	3851.23	240.43	11:50:02	4.9172	3851.68	241.24	-0.07
64	2011/03/21	11:54:52	4.9978	3851.23	240.44	11:54:52	4.9978	3851.68	241.26	-0.07
65	2011/03/21	11:59:42	5.0783	3851.13	240.45	11:59:42	5.0783	3851.54	241.27	-0.06
66	2011/03/21	12:04:32	5.1589	3851.20	240.46	12:04:32	5.1589	3851.44	241.27	-0.03
67	2011/03/21	12:09:22	5.2394	3850.96	240.47	12:09:22	5.2394	3851.43	241.28	-0.07
68	2011/03/21	12:14:12	5.3200	3851.02	240.47	12:14:12	5.3200	3851.37	241.29	-0.05
69	2011/03/21	12:19:02	5.4006	3851.01	240.48	12:19:02	5.4006	3851.40	241.30	-0.06
70	2011/03/21	12:23:52	5.4811	3850.80	240.49	12:23:52	5.4811	3851.27	241.30	-0.07
71	2011/03/21	12:28:42	5.5617	3850.89	240.50	12:28:42	5.5617	3851.13	241.31	-0.03
72	2011/03/21	12:33:32	5.6422	3850.77	240.51	12:33:32	5.6422	3851.16	241.32	-0.06
73	2011/03/21	12:38:22	5.7228	3850.63	240.51	12:38:22	5.7228	3851.12	241.33	-0.07
74	2011/03/21	12:43:12	5.8033	3850.67	240.52	12:43:12	5.8033	3851.07	241.34	-0.06
75	2011/03/21	12:48:02	5.8839	3850.63	240.53	12:48:02	5.8839	3851.11	241.34	-0.07
76	2011/03/21	12:52:52	5.9644	3850.62	240.53	12:52:52	5.9644	3850.95	241.35	-0.05
77	2011/03/21	12:57:42	6.0450	3850.39	240.53	12:57:42	6.0450	3851.01	241.36	-0.09
78	2011/03/21	13:02:32	6.1256	3850.45	240.54	13:02:32	6.1256	3850.77	241.36	-0.05
79	2011/03/21	13:07:22	6.2061	3850.37	240.54	13:07:22	6.2061	3850.77	241.36	-0.06
80	2011/03/21	13:12:12	6.2867	3850.33	240.54	13:12:12	6.2867	3850.65	241.37	-0.05
81	2011/03/21	13:17:02	6.3672	3850.26	240.55	13:17:02	6.3672	3850.74	241.37	-0.07
82	2011/03/21	13:21:52	6.4478	3850.23	240.56	13:21:52	6.4478	3850.63	241.37	-0.06
83	2011/03/21	13:26:42	6.5283	3850.18	240.56	13:26:42	6.5283	3850.55	241.37	-0.05
84	2011/03/21	13:31:32	6.6089	3850.10	240.56	13:31:32	6.6089	3850.50	241.37	-0.06
85	2011/03/21	13:36:22	6.6894	3850.04	240.57	13:36:22	6.6894	3850.49	241.38	-0.07
86	2011/03/21	13:41:12	6.7700	3849.99	240.58	13:41:12	6.7700	3850.40	241.38	-0.06
87	2011/03/21	13:46:02	6.8506	3850.00	240.58	13:46:02	6.8506	3850.42	241.39	-0.06
88	2011/03/21	13:50:52	6.9311	3849.91	240.58	13:50:52	6.9311	3850.33	241.40	-0.06

Bottom Serial Number: 4186 Start Date: 2011/03/21 06:55:00 Run Depth: 9020.00

Top Serial Number: 4185 Start Date: 2011/03/21 06:55:00 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons

Gauge 1 Date yyyy/mm/dd	Gauge 1 Clk Time hh:mm:ss	Gauge 1 Time hr	Gauge 1 Pres. psi(g)	Gauge 1 Temp. °F	Gauge 2 Clk Time hh:mm:ss	Gauge 2 Time hr	Gauge 2 Pres. psi(g)	Gauge 2 Temp. °F	Gauge 2 G1 - G2 psi	Diff.
89	2011/03/21	13:55:42	7.0117	3849.96	240.59	13:55:42	7.0117	3850.30	241.40	-0.05
90	2011/03/21	14:00:32	7.0922	3849.78	240.59	14:00:32	7.0922	3850.13	241.41	-0.05
91	2011/03/21	14:05:22	7.1728	3849.74	240.59	14:05:22	7.1728	3850.12	241.41	-0.06
92	2011/03/21	14:10:12	7.2533	3849.81	240.60	14:10:12	7.2533	3850.17	241.42	-0.05
93	2011/03/21	14:15:02	7.3339	3849.64	240.61	14:15:02	7.3339	3850.02	241.42	-0.06
94	2011/03/21	14:19:52	7.4144	3849.56	240.61	14:19:52	7.4144	3850.03	241.43	-0.07
95	2011/03/21	14:24:42	7.4950	3849.61	240.62	14:24:42	7.4950	3849.87	241.43	-0.04
96	2011/03/21	14:29:32	7.5756	3849.56	240.63	14:29:32	7.5756	3849.94	241.44	-0.05
97	2011/03/21	14:34:22	7.6561	3849.48	240.64	14:34:22	7.6561	3849.89	241.45	-0.06
98	2011/03/21	14:39:12	7.7367	3849.47	240.64	14:39:12	7.7367	3849.90	241.45	-0.06
99	2011/03/21	14:44:02	7.8172	3849.33	240.65	14:44:02	7.8172	3849.81	241.46	-0.07
100	2011/03/21	14:48:52	7.8978	3849.31	240.65	14:48:52	7.8978	3849.71	241.46	-0.06
101	2011/03/21	14:53:42	7.9783	3849.29	240.66	14:53:42	7.9783	3849.71	241.46	-0.06
102	2011/03/21	14:58:32	8.0589	3849.30	240.66	14:58:32	8.0589	3849.68	241.47	-0.05
103	2011/03/21	15:03:22	8.1394	3849.18	240.67	15:03:22	8.1394	3849.64	241.47	-0.07
104	2011/03/21	15:08:12	8.2200	3849.17	240.67	15:08:12	8.2200	3849.58	241.48	-0.06
105	2011/03/21	15:13:02	8.3006	3849.13	240.67	15:13:02	8.3006	3849.56	241.48	-0.06
106	2011/03/21	15:17:52	8.3811	3849.10	240.68	15:17:52	8.3811	3849.52	241.48	-0.06
107	2011/03/21	15:22:42	8.4617	3849.05	240.68	15:22:42	8.4617	3849.51	241.49	-0.07
108	2011/03/21	15:27:32	8.5422	3848.85	240.69	15:27:32	8.5422	3849.40	241.49	-0.08
109	2011/03/21	15:32:22	8.6228	3849.07	240.69	15:32:22	8.6228	3849.37	241.50	-0.04
110	2011/03/21	15:37:12	8.7033	3848.88	240.70	15:37:12	8.7033	3849.23	241.50	-0.05
111	2011/03/21	15:42:02	8.7839	3848.82	240.71	15:42:02	8.7839	3849.24	241.51	-0.06
112	2011/03/21	15:46:52	8.8644	3848.74	240.71	15:46:52	8.8644	3849.17	241.52	-0.06
113	2011/03/21	15:51:42	8.9450	3848.85	240.72	15:51:42	8.9450	3849.22	241.52	-0.05
114	2011/03/21	15:56:32	9.0256	3848.79	240.72	15:56:32	9.0256	3849.24	241.53	-0.07
115	2011/03/21	16:01:22	9.1061	3848.66	240.73	16:01:22	9.1061	3849.11	241.53	-0.06
116	2011/03/21	16:06:12	9.1867	3848.67	240.73	16:06:12	9.1867	3849.14	241.54	-0.07
117	2011/03/21	16:11:02	9.2672	3848.69	240.74	16:11:02	9.2672	3849.05	241.54	-0.05
118	2011/03/21	16:15:52	9.3478	3848.56	240.74	16:15:52	9.3478	3849.09	241.55	-0.08
119	2011/03/21	16:20:42	9.4283	3848.53	240.75	16:20:42	9.4283	3848.95	241.55	-0.06
120	2011/03/21	16:25:32	9.5089	3848.50	240.75	16:25:32	9.5089	3848.93	241.56	-0.06
121	2011/03/21	16:30:22	9.5894	3848.46	240.75	16:30:22	9.5894	3848.96	241.56	-0.07
122	2011/03/21	16:35:12	9.6700	3848.46	240.76	16:35:12	9.6700	3848.80	241.56	-0.05
123	2011/03/21	16:40:02	9.7506	3848.45	240.76	16:40:02	9.7506	3848.80	241.57	-0.05
124	2011/03/21	16:44:52	9.8311	3848.41	240.76	16:44:52	9.8311	3848.74	241.57	-0.05
125	2011/03/21	16:49:42	9.9117	3848.38	240.77	16:49:42	9.9117	3848.71	241.57	-0.05
126	2011/03/21	16:54:32	9.9922	3848.32	240.77	16:54:32	9.9922	3848.67	241.58	-0.05
127	2011/03/21	16:59:22	10.0728	3848.27	240.77	16:59:22	10.0728	3848.65	241.58	-0.05
128	2011/03/21	17:04:12	10.1533	3848.25	240.77	17:04:12	10.1533	3848.64	241.58	-0.06
129	2011/03/21	17:09:02	10.2339	3848.16	240.78	17:09:02	10.2339	3848.62	241.59	-0.07
130	2011/03/21	17:13:52	10.3144	3848.10	240.78	17:13:52	10.3144	3848.56	241.59	-0.07
131	2011/03/21	17:18:42	10.3950	3848.10	240.78	17:18:42	10.3950	3848.50	241.59	-0.06
132	2011/03/21	17:23:32	10.4756	3848.08	240.79	17:23:32	10.4756	3848.45	241.59	-0.05

Bottom Serial Number: 4186 Start Date: 2011/03/21 06:55:00 Run Depth: 9020.00

Top Serial Number: 4185 Start Date: 2011/03/21 06:55:00 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons

Gauge 1 Date yyyy/mm/dd	Gauge 1 Clk Time hh:mm:ss	Gauge 1 Time hr	Gauge 1 Pres. psi(g)	Gauge 1 Temp. °F	Gauge 2 Clk Time hh:mm:ss	Gauge 2 Time hr	Gauge 2 Pres. psi(g)	Gauge 2 Temp. °F	Gauge 2 G1 - G2 psi	Diff.
133	2011/03/21	17:28:22	10.5561	3848.16	240.79	17:28:22	10.5561	3848.48	241.59	-0.05
134	2011/03/21	17:33:12	10.6367	3848.05	240.79	17:33:12	10.6367	3848.46	241.60	-0.06
135	2011/03/21	17:38:02	10.7172	3847.97	240.79	17:38:02	10.7172	3848.49	241.60	-0.08
136	2011/03/21	17:42:52	10.7978	3847.91	240.80	17:42:52	10.7978	3848.44	241.61	-0.08
137	2011/03/21	17:47:42	10.8783	3847.90	240.80	17:47:42	10.8783	3848.38	241.61	-0.07
138	2011/03/21	17:52:32	10.9589	3847.95	240.80	17:52:32	10.9589	3848.23	241.61	-0.04
139	2011/03/21	17:57:22	11.0394	3847.83	240.80	17:57:22	11.0394	3848.35	241.62	-0.08
140	2011/03/21	18:02:12	11.1200	3847.76	240.81	18:02:12	11.1200	3848.17	241.62	-0.06
141	2011/03/21	18:07:02	11.2006	3847.79	240.81	18:07:02	11.2006	3848.19	241.62	-0.06
142	2011/03/21	18:11:52	11.2811	3847.71	240.81	18:11:52	11.2811	3848.14	241.62	-0.06
143	2011/03/21	18:16:42	11.3617	3847.71	240.81	18:16:42	11.3617	3848.16	241.63	-0.07
144	2011/03/21	18:21:32	11.4422	3847.68	240.81	18:21:32	11.4422	3848.06	241.63	-0.06
145	2011/03/21	18:26:22	11.5228	3847.70	240.82	18:26:22	11.5228	3847.98	241.63	-0.04
146	2011/03/21	18:31:12	11.6033	3847.65	240.82	18:31:12	11.6033	3847.97	241.64	-0.05
147	2011/03/21	18:36:02	11.6839	3847.56	240.82	18:36:02	11.6839	3848.04	241.64	-0.07
148	2011/03/21	18:40:52	11.7644	3847.50	240.83	18:40:52	11.7644	3847.98	241.64	-0.07
149	2011/03/21	18:45:42	11.8450	3847.48	240.83	18:45:42	11.8450	3847.98	241.65	-0.07
150	2011/03/21	18:50:32	11.9256	3847.43	240.83	18:50:32	11.9256	3847.89	241.64	-0.07
151	2011/03/21	18:55:22	12.0061	3847.43	240.84	18:55:22	12.0061	3847.88	241.65	-0.06
152	2011/03/21	19:00:12	12.0867	3847.26	240.84	19:00:12	12.0867	3847.86	241.65	-0.09
153	2011/03/21	19:05:02	12.1672	3847.31	240.84	19:05:02	12.1672	3847.85	241.66	-0.08
154	2011/03/21	19:09:52	12.2478	3847.32	240.85	19:09:52	12.2478	3847.79	241.66	-0.07
155	2011/03/21	19:14:42	12.3283	3847.29	240.86	19:14:42	12.3283	3847.72	241.66	-0.06
156	2011/03/21	19:19:32	12.4089	3847.15	240.86	19:19:32	12.4089	3847.68	241.67	-0.08
157	2011/03/21	19:24:22	12.4894	3847.20	240.87	19:24:22	12.4894	3847.78	241.67	-0.08
158	2011/03/21	19:29:12	12.5700	3847.12	240.87	19:29:12	12.5700	3847.54	241.68	-0.06
159	2011/03/21	19:34:02	12.6506	3847.11	240.87	19:34:02	12.6506	3847.55	241.68	-0.06
160	2011/03/21	19:38:52	12.7311	3847.14	240.88	19:38:52	12.7311	3847.53	241.69	-0.06
161	2011/03/21	19:43:42	12.8117	3846.95	240.88	19:43:42	12.8117	3847.48	241.69	-0.08
162	2011/03/21	19:48:32	12.8922	3847.02	240.89	19:48:32	12.8922	3847.43	241.70	-0.06
163	2011/03/21	19:53:22	12.9728	3846.91	240.89	19:53:22	12.9728	3847.32	241.70	-0.06
164	2011/03/21	19:58:12	13.0533	3846.92	240.90	19:58:12	13.0533	3847.30	241.70	-0.05
165	2011/03/21	20:03:02	13.1339	3846.89	240.90	20:03:02	13.1339	3847.37	241.71	-0.07
166	2011/03/21	20:07:52	13.2144	3846.94	240.91	20:07:52	13.2144	3847.39	241.71	-0.07
167	2011/03/21	20:12:42	13.2950	3846.78	240.91	20:12:42	13.2950	3847.23	241.71	-0.06
168	2011/03/21	20:17:32	13.3756	3846.70	240.91	20:17:32	13.3756	3847.26	241.72	-0.08
169	2011/03/21	20:22:22	13.4561	3846.78	240.92	20:22:22	13.4561	3847.12	241.72	-0.05
170	2011/03/21	20:27:12	13.5367	3846.67	240.92	20:27:12	13.5367	3847.15	241.73	-0.07
171	2011/03/21	20:32:02	13.6172	3846.83	240.93	20:32:02	13.6172	3847.10	241.73	-0.04
172	2011/03/21	20:36:52	13.6978	3846.59	240.93	20:36:52	13.6978	3847.05	241.74	-0.07
173	2011/03/21	20:41:42	13.7783	3846.58	240.93	20:41:42	13.7783	3846.91	241.74	-0.05
174	2011/03/21	20:46:32	13.8589	3846.65	240.94	20:46:32	13.8589	3847.02	241.75	-0.05
175	2011/03/21	20:51:22	13.9394	3846.51	240.95	20:51:22	13.9394	3846.87	241.75	-0.05
176	2011/03/21	20:56:12	14.0200	3846.53	240.95	20:56:12	14.0200	3846.92	241.76	-0.06

Bottom Serial Number: 4186 Start Date: 2011/03/21 06:55:00 Run Depth: 9020.00

Top Serial Number: 4185 Start Date: 2011/03/21 06:55:00 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons

	Gauge 1 Date	Gauge 1 Clk Time	Gauge 1 Time	Gauge 1 Pres.	Gauge 1 Temp.	Gauge 2 Clk Time	Gauge 2 Time	Gauge 2 Pres.	Gauge 2 Temp.	Gauge 2 G1 - G2	Diff. psi
		yyyy/mm/dd hh:mm:ss	hr	psi(g)	°F	hh:mm:ss	hr	psi(g)	°F		
177	2011/03/21	21:01:02	14.1006	3846.52	240.95	21:01:02	14.1006	3846.90	241.76	-0.06	
178	2011/03/21	21:05:52	14.1811	3846.39	240.95	21:05:52	14.1811	3846.85	241.77	-0.07	
179	2011/03/21	21:10:42	14.2617	3846.39	240.96	21:10:42	14.2617	3846.79	241.77	-0.06	
180	2011/03/21	21:15:32	14.3422	3846.39	240.97	21:15:32	14.3422	3846.71	241.77	-0.05	
181	2011/03/21	21:20:22	14.4228	3846.27	240.97	21:20:22	14.4228	3846.66	241.78	-0.06	
182	2011/03/21	21:25:12	14.5033	3846.22	240.97	21:25:12	14.5033	3846.68	241.78	-0.07	
183	2011/03/21	21:30:02	14.5839	3846.31	240.98	21:30:02	14.5839	3846.68	241.79	-0.05	
184	2011/03/21	21:34:52	14.6644	3846.21	240.98	21:34:52	14.6644	3846.64	241.79	-0.06	
185	2011/03/21	21:39:42	14.7450	3846.13	240.99	21:39:42	14.7450	3846.61	241.80	-0.07	
186	2011/03/21	21:44:32	14.8256	3846.10	241.00	21:44:32	14.8256	3846.51	241.80	-0.06	
187	2011/03/21	21:49:22	14.9061	3846.06	241.00	21:49:22	14.9061	3846.44	241.80	-0.06	
188	2011/03/21	21:54:12	14.9867	3845.90	241.01	21:54:12	14.9867	3846.43	241.81	-0.08	
189	2011/03/21	21:59:02	15.0672	3845.92	241.01	21:59:02	15.0672	3846.51	241.81	-0.09	
190	2011/03/21	22:03:52	15.1478	3845.85	241.02	22:03:52	15.1478	3846.49	241.82	-0.09	
191	2011/03/21	22:08:42	15.2283	3845.98	241.02	22:08:42	15.2283	3846.45	241.83	-0.07	
192	2011/03/21	22:13:32	15.3089	3845.93	241.02	22:13:32	15.3089	3846.26	241.83	-0.05	
193	2011/03/21	22:18:22	15.3894	3845.83	241.03	22:18:22	15.3894	3846.36	241.83	-0.08	
194	2011/03/21	22:23:12	15.4700	3845.77	241.04	22:23:12	15.4700	3846.28	241.84	-0.07	
195	2011/03/21	22:28:02	15.5506	3845.78	241.04	22:28:02	15.5506	3846.11	241.85	-0.05	
196	2011/03/21	22:32:52	15.6311	3845.68	241.05	22:32:52	15.6311	3846.02	241.85	-0.05	
197	2011/03/21	22:37:42	15.7117	3845.69	241.05	22:37:42	15.7117	3846.03	241.86	-0.05	
198	2011/03/21	22:42:32	15.7922	3845.61	241.06	22:42:32	15.7922	3846.09	241.86	-0.07	
199	2011/03/21	22:47:22	15.8728	3845.61	241.06	22:47:22	15.8728	3846.06	241.87	-0.06	
200	2011/03/21	22:52:12	15.9533	3845.53	241.07	22:52:12	15.9533	3845.95	241.87	-0.06	
201	2011/03/21	22:57:02	16.0339	3845.49	241.07	22:57:02	16.0339	3845.92	241.88	-0.06	
202	2011/03/21	23:01:52	16.1144	3845.46	241.07	23:01:52	16.1144	3845.86	241.88	-0.06	
203	2011/03/21	23:06:42	16.1950	3845.45	241.08	23:06:42	16.1950	3845.81	241.89	-0.05	
204	2011/03/21	23:11:32	16.2756	3845.41	241.08	23:11:32	16.2756	3845.93	241.89	-0.08	
205	2011/03/21	23:16:22	16.3561	3845.29	241.09	23:16:22	16.3561	3845.70	241.89	-0.06	
206	2011/03/21	23:21:12	16.4367	3845.42	241.09	23:21:12	16.4367	3845.65	241.90	-0.03	
207	2011/03/21	23:26:02	16.5172	3845.36	241.10	23:26:02	16.5172	3845.68	241.90	-0.05	
208	2011/03/21	23:30:52	16.5978	3845.17	241.10	23:30:52	16.5978	3845.73	241.90	-0.08	
209	2011/03/21	23:35:42	16.6783	3845.19	241.11	23:35:42	16.6783	3845.56	241.91	-0.05	
210	2011/03/21	23:40:32	16.7589	3845.14	241.11	23:40:32	16.7589	3845.56	241.92	-0.06	
211	2011/03/21	23:45:22	16.8394	3845.13	241.11	23:45:22	16.8394	3845.51	241.92	-0.06	
212	2011/03/21	23:50:12	16.9200	3845.13	241.12	23:50:12	16.9200	3845.39	241.93	-0.04	
213	2011/03/21	23:55:02	17.0006	3845.04	241.12	23:55:02	17.0006	3845.41	241.93	-0.05	
214	2011/03/21	23:59:52	17.0811	3845.01	241.13	23:59:52	17.0811	3845.29	241.94	-0.04	
215	2011/03/22	00:04:42	17.1617	3844.95	241.13	00:04:42	17.1617	3845.29	241.94	-0.05	
216	2011/03/22	00:09:32	17.2422	3844.93	241.13	00:09:32	17.2422	3845.26	241.94	-0.05	
217	2011/03/22	00:14:22	17.3228	3844.94	241.14	00:14:22	17.3228	3845.36	241.95	-0.06	
218	2011/03/22	00:19:12	17.4033	3844.79	241.14	00:19:12	17.4033	3845.27	241.95	-0.07	
219	2011/03/22	00:24:02	17.4839	3844.76	241.14	00:24:02	17.4839	3845.23	241.96	-0.07	
220	2011/03/22	00:28:52	17.5644	3844.83	241.15	00:28:52	17.5644	3845.12	241.96	-0.04	

Bottom Serial Number: 4186 Start Date: 2011/03/21 06:55:00 Run Depth: 9020.00

Top Serial Number: 4185 Start Date: 2011/03/21 06:55:00 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons

Gauge 1 Date yyyy/mm/dd	Gauge 1 Clk Time hh:mm:ss	Gauge 1 Time hr	Gauge 1 Pres. psi(g)	Gauge 1 Temp. °F	Gauge 1 Clk Time hh:mm:ss	Gauge 2 Time hr	Gauge 2 Pres. psi(g)	Gauge 2 Temp. °F	Gauge 2 G1 - G2 psi	
221	2011/03/22	00:33:42	17.6450	3844.69	241.15	00:33:42	17.6450	3845.17	241.96	-0.07
222	2011/03/22	00:38:32	17.7256	3844.73	241.16	00:38:32	17.7256	3845.18	241.97	-0.06
223	2011/03/22	00:43:22	17.8061	3844.69	241.16	00:43:22	17.8061	3845.03	241.97	-0.05
224	2011/03/22	00:48:12	17.8867	3844.59	241.16	00:48:12	17.8867	3845.01	241.98	-0.06
225	2011/03/22	00:53:02	17.9672	3844.53	241.17	00:53:02	17.9672	3845.00	241.98	-0.07
226	2011/03/22	00:57:52	18.0478	3844.50	241.17	00:57:52	18.0478	3844.93	241.98	-0.06
227	2011/03/22	01:02:42	18.1283	3844.52	241.17	01:02:42	18.1283	3844.83	241.99	-0.04
228	2011/03/22	01:07:32	18.2089	3844.35	241.18	01:07:32	18.2089	3844.88	241.99	-0.08
229	2011/03/22	01:12:22	18.2894	3844.42	241.18	01:12:22	18.2894	3844.81	242.00	-0.06
230	2011/03/22	01:17:12	18.3700	3844.34	241.19	01:17:12	18.3700	3844.71	242.00	-0.05
231	2011/03/22	01:22:02	18.4506	3844.25	241.19	01:22:02	18.4506	3844.76	242.00	-0.08
232	2011/03/22	01:26:52	18.5311	3844.30	241.19	01:26:52	18.5311	3844.70	242.01	-0.06
233	2011/03/22	01:31:42	18.6117	3844.27	241.19	01:31:42	18.6117	3844.63	242.01	-0.05
234	2011/03/22	01:36:32	18.6922	3844.21	241.19	01:36:32	18.6922	3844.57	242.01	-0.05
235	2011/03/22	01:41:22	18.7728	3844.18	241.20	01:41:22	18.7728	3844.64	242.02	-0.07
236	2011/03/22	01:46:12	18.8533	3844.07	241.20	01:46:12	18.8533	3844.61	242.02	-0.08
237	2011/03/22	01:51:02	18.9339	3844.12	241.20	01:51:02	18.9339	3844.55	242.03	-0.06
238	2011/03/22	01:55:52	19.0144	3844.08	241.21	01:55:52	19.0144	3844.50	242.03	-0.06
239	2011/03/22	02:00:42	19.0950	3844.05	241.21	02:00:42	19.0950	3844.51	242.03	-0.07
240	2011/03/22	02:05:32	19.1756	3844.01	241.21	02:05:32	19.1756	3844.43	242.04	-0.06
241	2011/03/22	02:10:22	19.2561	3844.01	241.22	02:10:22	19.2561	3844.43	242.04	-0.06
242	2011/03/22	02:15:12	19.3367	3843.83	241.23	02:15:12	19.3367	3844.38	242.05	-0.08
243	2011/03/22	02:20:02	19.4172	3843.94	241.23	02:20:02	19.4172	3844.29	242.05	-0.05
244	2011/03/22	02:24:52	19.4978	3843.83	241.23	02:24:52	19.4978	3844.38	242.05	-0.08
245	2011/03/22	02:29:42	19.5783	3843.94	241.23	02:29:42	19.5783	3844.21	242.06	-0.04
246	2011/03/22	02:34:32	19.6589	3843.83	241.24	02:34:32	19.6589	3844.26	242.06	-0.06
247	2011/03/22	02:39:22	19.7394	3843.80	241.24	02:39:22	19.7394	3844.23	242.06	-0.06
248	2011/03/22	02:44:12	19.8200	3843.75	241.24	02:44:12	19.8200	3844.12	242.07	-0.05
249	2011/03/22	02:49:02	19.9006	3843.79	241.25	02:49:02	19.9006	3844.02	242.07	-0.03
250	2011/03/22	02:53:52	19.9811	3843.74	241.25	02:53:52	19.9811	3844.06	242.07	-0.05
251	2011/03/22	02:58:42	20.0617	3843.59	241.25	02:58:42	20.0617	3844.06	242.07	-0.07
252	2011/03/22	03:03:32	20.1422	3843.55	241.26	03:03:32	20.1422	3844.08	242.08	-0.08
253	2011/03/22	03:08:22	20.2228	3843.54	241.26	03:08:22	20.2228	3843.99	242.08	-0.07
254	2011/03/22	03:13:12	20.3033	3843.47	241.26	03:13:12	20.3033	3843.97	242.08	-0.07
255	2011/03/22	03:18:02	20.3839	3843.49	241.27	03:18:02	20.3839	3843.95	242.08	-0.07
256	2011/03/22	03:22:52	20.4644	3843.45	241.26	03:22:52	20.4644	3843.86	242.09	-0.06
257	2011/03/22	03:27:42	20.5450	3843.40	241.27	03:27:42	20.5450	3843.88	242.09	-0.07
258	2011/03/22	03:32:32	20.6256	3843.51	241.27	03:32:32	20.6256	3843.75	242.09	-0.03
259	2011/03/22	03:37:22	20.7061	3843.46	241.27	03:37:22	20.7061	3843.85	242.10	-0.06
260	2011/03/22	03:42:12	20.7867	3843.33	241.27	03:42:12	20.7867	3843.70	242.10	-0.05
261	2011/03/22	03:47:02	20.8672	3843.36	241.27	03:47:02	20.8672	3843.70	242.11	-0.05
262	2011/03/22	03:51:52	20.9478	3843.36	241.27	03:51:52	20.9478	3843.73	242.11	-0.05
263	2011/03/22	03:56:42	21.0283	3843.26	241.28	03:56:42	21.0283	3843.74	242.11	-0.07
264	2011/03/22	04:01:32	21.1089	3843.13	241.28	04:01:32	21.1089	3843.63	242.11	-0.07

Bottom Serial Number: 4186 Start Date: 2011/03/21 06:55:00 Run Depth: 9020.00

Top Serial Number: 4185 Start Date: 2011/03/21 06:55:00 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons

Gauge 1 Date yyyy/mm/dd	Gauge 1 Clk Time hh:mm:ss	Gauge 1 Time hr	Gauge 1 Pres. psi(g)	Gauge 1 Temp. °F	Gauge 2 Clk Time hh:mm:ss	Gauge 2 Time hr	Gauge 2 Pres. psi(g)	Gauge 2 Temp. °F	Gauge 2 G1 - G2 psi	Diff.
265	2011/03/22	04:06:22	21.1894	3843.12	241.28	04:06:22	21.1894	3843.54	242.12	-0.06
266	2011/03/22	04:11:12	21.2700	3843.22	241.28	04:11:12	21.2700	3843.61	242.12	-0.06
267	2011/03/22	04:16:02	21.3506	3843.16	241.29	04:16:02	21.3506	3843.51	242.13	-0.05
268	2011/03/22	04:20:52	21.4311	3843.02	241.29	04:20:52	21.4311	3843.52	242.13	-0.07
269	2011/03/22	04:25:42	21.5117	3843.08	241.29	04:25:42	21.5117	3843.48	242.13	-0.06
270	2011/03/22	04:30:32	21.5922	3842.89	241.29	04:30:32	21.5922	3843.46	242.14	-0.08
271	2011/03/22	04:35:22	21.6728	3843.00	241.30	04:35:22	21.6728	3843.38	242.14	-0.05
272	2011/03/22	04:40:12	21.7533	3843.10	241.30	04:40:12	21.7533	3843.40	242.14	-0.04
273	2011/03/22	04:45:02	21.8339	3842.86	241.31	04:45:02	21.8339	3843.33	242.14	-0.07
274	2011/03/22	04:49:52	21.9144	3842.81	241.31	04:49:52	21.9144	3843.32	242.15	-0.07
275	2011/03/22	04:54:42	21.9950	3842.88	241.31	04:54:42	21.9950	3843.26	242.15	-0.05
276	2011/03/22	04:59:32	22.0756	3842.80	241.31	04:59:32	22.0756	3843.26	242.15	-0.07
277	2011/03/22	05:04:22	22.1561	3842.79	241.31	05:04:22	22.1561	3843.16	242.16	-0.05
278	2011/03/22	05:09:12	22.2367	3842.65	241.32	05:09:12	22.2367	3843.27	242.16	-0.09
279	2011/03/22	05:14:02	22.3172	3842.70	241.32	05:14:02	22.3172	3843.03	242.17	-0.05
280	2011/03/22	05:18:52	22.3978	3842.74	241.32	05:18:52	22.3978	3843.12	242.17	-0.05
281	2011/03/22	05:23:42	22.4783	3842.76	241.33	05:23:42	22.4783	3843.06	242.17	-0.04
282	2011/03/22	05:28:32	22.5589	3842.60	241.33	05:28:32	22.5589	3843.09	242.17	-0.07
283	2011/03/22	05:33:22	22.6394	3842.57	241.33	05:33:22	22.6394	3842.97	242.18	-0.06
284	2011/03/22	05:38:12	22.7200	3842.54	241.34	05:38:12	22.7200	3842.90	242.18	-0.05
285	2011/03/22	05:43:02	22.8006	3842.53	241.34	05:43:02	22.8006	3842.92	242.18	-0.06
286	2011/03/22	05:47:52	22.8811	3842.51	241.34	05:47:52	22.8811	3842.93	242.19	-0.06
287	2011/03/22	05:52:42	22.9617	3842.49	241.34	05:52:42	22.9617	3842.99	242.19	-0.07
288	2011/03/22	05:57:32	23.0422	3842.50	241.34	05:57:32	23.0422	3842.88	242.19	-0.05
289	2011/03/22	06:02:22	23.1228	3842.41	241.35	06:02:22	23.1228	3842.79	242.20	-0.05
290	2011/03/22	06:07:12	23.2033	3842.39	241.35	06:07:12	23.2033	3842.76	242.20	-0.05
291	2011/03/22	06:12:02	23.2839	3842.35	241.36	06:12:02	23.2839	3842.66	242.20	-0.04
292	2011/03/22	06:16:52	23.3644	3842.29	241.36	06:16:52	23.3644	3842.67	242.21	-0.06
293	2011/03/22	06:21:42	23.4450	3842.26	241.36	06:21:42	23.4450	3842.66	242.21	-0.06
294	2011/03/22	06:26:32	23.5256	3842.23	241.36	06:26:32	23.5256	3842.75	242.21	-0.08
295	2011/03/22	06:31:22	23.6061	3842.15	241.36	06:31:22	23.6061	3842.59	242.22	-0.06
296	2011/03/22	06:36:12	23.6867	3842.10	241.37	06:36:12	23.6867	3842.67	242.22	-0.08
297	2011/03/22	06:41:02	23.7672	3842.20	241.37	06:41:02	23.7672	3842.47	242.22	-0.04
298	2011/03/22	06:45:52	23.8478	3842.09	241.37	06:45:52	23.8478	3842.47	242.22	-0.05
299	2011/03/22	06:50:42	23.9283	3842.07	241.38	06:50:42	23.9283	3842.46	242.23	-0.06
300	2011/03/22	06:55:32	24.0089	3841.99	241.38	06:55:32	24.0089	3842.48	242.23	-0.07
301	2011/03/22	07:00:22	24.0894	3844.07	241.43	07:00:22	24.0894	3844.68	242.25	-0.09
302	2011/03/22	07:05:12	24.1700	4006.47	242.17	07:05:12	24.1700	4007.82	242.63	-0.20
303	2011/03/22	07:10:02	24.2506	4084.87	232.44	07:10:02	24.2506	4085.23	237.89	-0.05
304	2011/03/22	07:14:52	24.3311	4137.02	221.76	07:14:52	24.3311	4136.54	229.34	0.07
305	2011/03/22	07:19:42	24.4117	4171.51	216.49	07:19:42	24.4117	4172.33	222.42	-0.12
306	2011/03/22	07:24:32	24.4922	4192.62	212.79	07:24:32	24.4922	4191.85	214.44	0.11
307	2011/03/22	07:29:22	24.5728	4211.05	209.83	07:29:22	24.5728	4211.29	210.49	-0.03
308	2011/03/22	07:34:12	24.6533	4216.11	207.46	07:34:12	24.6533	4216.35	208.01	-0.03

Bottom Serial Number: 4186 Start Date: 2011/03/21 06:55:00 Run Depth: 9020.00

Top Serial Number: 4185 Start Date: 2011/03/21 06:55:00 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons

Gauge 1 Date yyyy/mm/dd	Gauge 1 Clk Time hh:mm:ss	Gauge 1 Time hr	Gauge 1 Pres. psi(g)	Gauge 1 Temp. °F	Gauge 2 Clk Time hh:mm:ss	Gauge 2 Time hr	Gauge 2 Pres. psi(g)	Gauge 2 Temp. °F	Gauge 2 G1 - G2 psi	Diff. -0.00
309	2011/03/22	07:39:02	24.7339	4218.40	205.56	07:39:02	24.7339	4218.41	206.10	-0.00
310	2011/03/22	07:43:52	24.8144	4223.71	203.30	07:43:52	24.8144	4223.49	203.82	0.03
311	2011/03/22	07:48:42	24.8950	4228.14	201.55	07:48:42	24.8950	4228.17	202.07	-0.00
312	2011/03/22	07:53:32	24.9756	4237.16	200.25	07:53:32	24.9756	4237.39	200.74	-0.03
313	2011/03/22	07:58:22	25.0561	4246.27	199.45	07:58:22	25.0561	4246.41	199.94	-0.02
314	2011/03/22	08:03:12	25.1367	4247.46	197.88	08:03:12	25.1367	4247.63	198.36	-0.03
315	2011/03/22	08:08:02	25.2172	4256.37	196.05	08:08:02	25.2172	4255.16	196.52	0.17
316	2011/03/22	08:12:52	25.2978	4254.69	194.65	08:12:52	25.2978	4254.01	195.11	0.10
317	2011/03/22	08:17:42	25.3783	4242.07	193.37	08:17:42	25.3783	4241.88	193.82	0.03
318	2011/03/22	08:22:32	25.4589	4240.97	192.18	08:22:32	25.4589	4241.19	192.63	-0.03
319	2011/03/22	08:27:22	25.5394	4238.43	191.06	08:27:22	25.5394	4238.84	191.51	-0.06
320	2011/03/22	08:32:12	25.6200	4238.63	190.01	08:32:12	25.6200	4238.72	190.45	-0.01
321	2011/03/22	08:37:02	25.7006	4238.66	189.02	08:37:02	25.7006	4238.75	189.46	-0.01
322	2011/03/22	08:41:52	25.7811	4238.94	188.08	08:41:52	25.7811	4238.99	188.51	-0.01
323	2011/03/22	08:46:42	25.8617	4239.20	187.18	08:46:42	25.8617	4239.19	187.60	0.00
324	2011/03/22	08:51:32	25.9422	4239.86	186.33	08:51:32	25.9422	4239.93	186.74	-0.01
325	2011/03/22	08:56:22	26.0228	4241.06	185.51	08:56:22	26.0228	4241.01	185.92	0.01
326	2011/03/22	09:01:12	26.1033	4242.11	184.73	09:01:12	26.1033	4242.31	185.14	-0.03
327	2011/03/22	09:06:02	26.1839	4243.25	183.99	09:06:02	26.1839	4243.37	184.40	-0.02
328	2011/03/22	09:10:52	26.2644	4243.75	183.28	09:10:52	26.2644	4243.69	183.68	0.01
329	2011/03/22	09:15:42	26.3450	4244.61	182.60	09:15:42	26.3450	4244.73	183.00	-0.02
330	2011/03/22	09:20:32	26.4256	4245.36	181.95	09:20:32	26.4256	4245.31	182.34	0.01
331	2011/03/22	09:25:22	26.5061	4245.90	181.32	09:25:22	26.5061	4245.75	181.71	0.02
332	2011/03/22	09:30:12	26.5867	4246.08	180.72	09:30:12	26.5867	4246.12	181.10	-0.01
333	2011/03/22	09:35:02	26.6672	4246.58	180.13	09:35:02	26.6672	4246.70	180.51	-0.02
334	2011/03/22	09:39:52	26.7478	4246.96	179.57	09:39:52	26.7478	4247.05	179.94	-0.01
335	2011/03/22	09:44:42	26.8283	4247.63	179.02	09:44:42	26.8283	4247.64	179.40	-0.00
336	2011/03/22	09:49:32	26.9089	4248.50	178.50	09:49:32	26.9089	4248.45	178.87	0.01
337	2011/03/22	09:54:22	26.9894	4248.90	177.99	09:54:22	26.9894	4249.06	178.36	-0.02
338	2011/03/22	09:59:12	27.0700	4249.42	177.51	09:59:12	27.0700	4249.03	177.87	0.06
339	2011/03/22	10:04:02	27.1506	4250.05	177.04	10:04:02	27.1506	4250.25	177.40	-0.03
340	2011/03/22	10:08:52	27.2311	4250.98	176.58	10:08:52	27.2311	4250.73	176.94	0.04
341	2011/03/22	10:13:42	27.3117	4251.65	176.14	10:13:42	27.3117	4251.71	176.50	-0.01
342	2011/03/22	10:18:32	27.3922	4252.23	175.77	10:18:32	27.3922	4252.05	176.12	0.03
343	2011/03/22	10:23:22	27.4728	4252.33	175.39	10:23:22	27.4728	4252.50	175.75	-0.03
344	2011/03/22	10:28:12	27.5533	4252.72	175.01	10:28:12	27.5533	4252.88	175.36	-0.02
345	2011/03/22	10:33:02	27.6339	4253.24	174.62	10:33:02	27.6339	4253.26	174.97	-0.00
346	2011/03/22	10:37:52	27.7144	4253.71	174.25	10:37:52	27.7144	4253.68	174.59	0.00
347	2011/03/22	10:42:42	27.7950	4254.16	173.88	10:42:42	27.7950	4254.30	174.22	-0.02
348	2011/03/22	10:47:32	27.8756	4254.64	173.52	10:47:32	27.8756	4254.75	173.87	-0.02
349	2011/03/22	10:52:22	27.9561	4254.65	173.18	10:52:22	27.9561	4254.32	173.52	0.05
350	2011/03/22	10:57:12	28.0367	4255.06	172.86	10:57:12	28.0367	4255.16	173.20	-0.01
351	2011/03/22	11:02:02	28.1172	4256.11	172.53	11:02:02	28.1172	4255.95	172.87	0.02
352	2011/03/22	11:06:52	28.1978	4256.76	172.20	11:06:52	28.1978	4256.71	172.54	0.01

Bottom Serial Number: 4186 Start Date: 2011/03/21 06:55:00 Run Depth: 9020.00

Top Serial Number: 4185 Start Date: 2011/03/21 06:55:00 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons

Gauge 1 Date yyyy/mm/dd	Gauge 1 Clk Time hh:mm:ss	Gauge 1 Time hr	Gauge 1 Pres. psi(g)	Gauge 1 Temp. °F	Gauge 2 Clk Time hh:mm:ss	Gauge 2 Time hr	Gauge 2 Pres. psi(g)	Gauge 2 Temp. °F	Gauge 2 G1 - G2 psi	Diff.
353	2011/03/22	11:11:42	28.2783	4257.05	171.87	11:11:42	28.2783	4257.61	172.20	-0.08
354	2011/03/22	11:16:32	28.3589	4257.75	171.54	11:16:32	28.3589	4257.74	171.88	0.00
355	2011/03/22	11:21:22	28.4394	4258.21	171.23	11:21:22	28.4394	4258.32	171.56	-0.02
356	2011/03/22	11:26:12	28.5200	4258.86	170.92	11:26:12	28.5200	4258.88	171.25	-0.00
357	2011/03/22	11:31:02	28.6006	4259.46	170.63	11:31:02	28.6006	4259.49	170.96	-0.00
358	2011/03/22	11:35:52	28.6811	4260.15	170.35	11:35:52	28.6811	4260.05	170.67	0.01
359	2011/03/22	11:40:42	28.7617	4260.30	170.06	11:40:42	28.7617	4260.53	170.39	-0.03
360	2011/03/22	11:45:32	28.8422	4260.95	169.78	11:45:32	28.8422	4261.03	170.11	-0.01
361	2011/03/22	11:50:22	28.9228	4261.52	169.52	11:50:22	28.9228	4261.47	169.84	0.01
362	2011/03/22	11:55:12	29.0033	4261.95	169.26	11:55:12	29.0033	4261.83	169.58	0.02
363	2011/03/22	12:00:02	29.0839	4262.65	169.00	12:00:02	29.0839	4262.64	169.32	0.00
364	2011/03/22	12:04:52	29.1644	4263.05	168.76	12:04:52	29.1644	4263.04	169.08	0.00
365	2011/03/22	12:09:42	29.2450	4263.44	168.52	12:09:42	29.2450	4263.58	168.84	-0.02
366	2011/03/22	12:14:32	29.3256	4264.05	168.29	12:14:32	29.3256	4264.13	168.61	-0.01
367	2011/03/22	12:19:22	29.4061	4264.47	168.06	12:19:22	29.4061	4264.41	168.37	0.01
368	2011/03/22	12:24:12	29.4867	4264.86	167.84	12:24:12	29.4867	4264.86	168.15	1.97e-5
369	2011/03/22	12:29:02	29.5672	4265.32	167.63	12:29:02	29.5672	4265.08	167.95	0.03
370	2011/03/22	12:33:52	29.6478	4265.57	167.42	12:33:52	29.6478	4265.54	167.73	0.00
371	2011/03/22	12:38:42	29.7283	4265.89	167.21	12:38:42	29.7283	4265.76	167.52	0.02
372	2011/03/22	12:43:32	29.8089	4265.98	167.00	12:43:32	29.8089	4266.09	167.31	-0.02
373	2011/03/22	12:48:22	29.8894	4266.42	166.77	12:48:22	29.8894	4266.57	167.08	-0.02
374	2011/03/22	12:53:12	29.9700	4267.07	166.53	12:53:12	29.9700	4267.10	166.83	-0.01
375	2011/03/22	12:58:02	30.0506	4267.65	166.30	12:58:02	30.0506	4267.64	166.61	0.00
376	2011/03/22	13:02:52	30.1311	4267.94	166.09	13:02:52	30.1311	4267.94	166.39	-0.00
377	2011/03/22	13:07:42	30.2117	4268.24	165.88	13:07:42	30.2117	4268.19	166.19	0.01
378	2011/03/22	13:12:32	30.2922	4268.53	165.69	13:12:32	30.2922	4268.55	165.99	-0.00
379	2011/03/22	13:17:22	30.3728	4268.91	165.49	13:17:22	30.3728	4268.96	165.80	-0.01
380	2011/03/22	13:22:12	30.4533	4269.25	165.30	13:22:12	30.4533	4269.11	165.60	0.02
381	2011/03/22	13:27:02	30.5339	4269.75	165.11	13:27:02	30.5339	4269.60	165.42	0.02
382	2011/03/22	13:31:52	30.6144	4269.99	164.93	13:31:52	30.6144	4269.91	165.23	0.01
383	2011/03/22	13:36:42	30.6950	4270.06	164.75	13:36:42	30.6950	4270.09	165.05	-0.00
384	2011/03/22	13:41:32	30.7756	4270.47	164.57	13:41:32	30.7756	4270.49	164.87	-0.00
385	2011/03/22	13:46:22	30.8561	4270.64	164.40	13:46:22	30.8561	4270.73	164.69	-0.01
386	2011/03/22	13:51:12	30.9367	4270.80	164.22	13:51:12	30.9367	4270.93	164.52	-0.02
387	2011/03/22	13:56:02	31.0172	4271.14	164.05	13:56:02	31.0172	4271.05	164.35	0.01
388	2011/03/22	14:00:52	31.0978	4271.19	163.89	14:00:52	31.0978	4271.60	164.18	-0.06
389	2011/03/22	14:05:42	31.1783	4271.56	163.73	14:05:42	31.1783	4271.70	164.02	-0.02
390	2011/03/22	14:10:32	31.2589	4271.69	163.58	14:10:32	31.2589	4271.76	163.87	-0.01
391	2011/03/22	14:15:22	31.3394	4271.81	163.47	14:15:22	31.3394	4272.00	163.76	-0.03
392	2011/03/22	14:20:12	31.4200	4272.05	163.33	14:20:12	31.4200	4272.08	163.62	-0.00
393	2011/03/22	14:25:02	31.5006	4272.40	163.18	14:25:02	31.5006	4272.42	163.47	-0.00
394	2011/03/22	14:29:52	31.5811	4272.47	163.03	14:29:52	31.5811	4272.51	163.32	-0.01
395	2011/03/22	14:34:42	31.6617	4272.90	162.88	14:34:42	31.6617	4272.85	163.17	0.01
396	2011/03/22	14:39:32	31.7422	4273.04	162.73	14:39:32	31.7422	4273.25	163.02	-0.03

Bottom Serial Number: 4186 Start Date: 2011/03/21 06:55:00 Run Depth: 9020.00

Top Serial Number: 4185 Start Date: 2011/03/21 06:55:00 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons

Gauge 1 Date yyyy/mm/dd	Gauge 1 Clk Time hh:mm:ss	Gauge 1 Time hr	Gauge 1 Pres. psi(g)	Gauge 1 Temp. °F	Gauge 2 Clk Time hh:mm:ss	Gauge 2 Time hr	Gauge 2 Pres. psi(g)	Gauge 2 Temp. °F	Gauge 2 G1 - G2 psi	
397	2011/03/22	14:44:22	31.8228	4273.38	162.58	14:44:22	31.8228	4273.67	162.87	-0.04
398	2011/03/22	14:49:12	31.9033	4272.86	162.44	14:49:12	31.9033	4272.89	162.72	-0.00
399	2011/03/22	14:54:02	31.9839	4273.04	162.29	14:54:02	31.9839	4273.33	162.58	-0.04
400	2011/03/22	14:58:52	32.0644	4273.52	162.14	14:58:52	32.0644	4273.58	162.43	-0.01
401	2011/03/22	15:03:42	32.1450	4273.79	162.00	15:03:42	32.1450	4274.12	162.29	-0.05
402	2011/03/22	15:08:32	32.2256	4274.09	161.86	15:08:32	32.2256	4273.80	162.15	0.04
403	2011/03/22	15:13:22	32.3061	4274.38	161.72	15:13:22	32.3061	4274.06	162.01	0.05
404	2011/03/22	15:18:12	32.3867	4274.35	161.59	15:18:12	32.3867	4274.33	161.87	0.00
405	2011/03/22	15:23:02	32.4672	4274.55	161.46	15:23:02	32.4672	4274.51	161.74	0.01
406	2011/03/22	15:27:52	32.5478	4274.62	161.33	15:27:52	32.5478	4274.47	161.61	0.02
407	2011/03/22	15:32:42	32.6283	4274.61	161.19	15:32:42	32.6283	4274.34	161.48	0.04
408	2011/03/22	15:37:32	32.7089	4275.03	161.07	15:37:32	32.7089	4274.94	161.35	0.01
409	2011/03/22	15:42:22	32.7894	4275.13	160.95	15:42:22	32.7894	4275.19	161.23	-0.01
410	2011/03/22	15:47:12	32.8700	4275.18	160.83	15:47:12	32.8700	4274.81	161.11	0.05
411	2011/03/22	15:52:02	32.9506	4275.17	160.72	15:52:02	32.9506	4274.88	161.00	0.04
412	2011/03/22	15:56:52	33.0311	4275.25	160.60	15:56:52	33.0311	4275.25	160.88	0.00
413	2011/03/22	16:01:42	33.1117	4275.43	160.49	16:01:42	33.1117	4275.79	160.77	-0.05
414	2011/03/22	16:06:32	33.1922	4275.78	160.39	16:06:32	33.1922	4275.89	160.66	-0.01
415	2011/03/22	16:11:22	33.2728	4275.99	160.28	16:11:22	33.2728	4275.96	160.55	0.00
416	2011/03/22	16:16:12	33.3533	4276.07	160.17	16:16:12	33.3533	4276.51	160.45	-0.06
417	2011/03/22	16:21:02	33.4339	4275.32	160.07	16:21:02	33.4339	4275.36	160.35	-0.01
418	2011/03/22	16:25:52	33.5144	4275.68	159.98	16:25:52	33.5144	4275.67	160.25	0.00
419	2011/03/22	16:30:42	33.5950	4275.77	159.87	16:30:42	33.5950	4276.07	160.15	-0.04
420	2011/03/22	16:35:32	33.6756	4276.09	159.77	16:35:32	33.6756	4275.99	160.05	0.01
421	2011/03/22	16:40:22	33.7561	4276.52	159.65	16:40:22	33.7561	4276.29	159.92	0.03
422	2011/03/22	16:45:12	33.8367	4276.67	159.50	16:45:12	33.8367	4276.58	159.78	0.01
423	2011/03/22	16:50:02	33.9172	4276.86	159.37	16:50:02	33.9172	4276.80	159.64	0.01
424	2011/03/22	16:54:52	33.9978	4276.92	159.25	16:54:52	33.9978	4276.91	159.52	0.00
425	2011/03/22	16:59:42	34.0783	4277.14	159.14	16:59:42	34.0783	4277.21	159.41	-0.01
426	2011/03/22	17:04:32	34.1589	4277.24	159.03	17:04:32	34.1589	4277.21	159.30	0.00
427	2011/03/22	17:09:22	34.2394	4277.34	158.92	17:09:22	34.2394	4277.33	159.20	0.00
428	2011/03/22	17:14:12	34.3200	4277.46	158.82	17:14:12	34.3200	4277.49	159.09	-0.00
429	2011/03/22	17:19:02	34.4006	4277.49	158.72	17:19:02	34.4006	4277.52	158.99	-0.01
430	2011/03/22	17:23:52	34.4811	4277.57	158.62	17:23:52	34.4811	4277.60	158.89	-0.00
431	2011/03/22	17:28:42	34.5617	4277.85	158.52	17:28:42	34.5617	4277.69	158.79	0.02
432	2011/03/22	17:33:32	34.6422	4277.88	158.42	17:33:32	34.6422	4277.81	158.69	0.01
433	2011/03/22	17:38:22	34.7228	4278.08	158.32	17:38:22	34.7228	4278.00	158.59	0.01
434	2011/03/22	17:43:12	34.8033	4278.18	158.23	17:43:12	34.8033	4278.12	158.49	0.01
435	2011/03/22	17:48:02	34.8839	4278.27	158.13	17:48:02	34.8839	4278.17	158.40	0.01
436	2011/03/22	17:52:52	34.9644	4278.40	158.03	17:52:52	34.9644	4278.35	158.31	0.01
437	2011/03/22	17:57:42	35.0450	4278.34	157.94	17:57:42	35.0450	4278.50	158.21	-0.02
438	2011/03/22	18:02:32	35.1256	4278.48	157.85	18:02:32	35.1256	4278.51	158.12	-0.00
439	2011/03/22	18:07:22	35.2061	4278.19	157.76	18:07:22	35.2061	4278.47	158.02	-0.04
440	2011/03/22	18:12:12	35.2867	4278.10	157.70	18:12:12	35.2867	4278.34	157.97	-0.03

Bottom Serial Number: 4186 Start Date: 2011/03/21 06:55:00 Run Depth: 9020.00

Top Serial Number: 4185 Start Date: 2011/03/21 06:55:00 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons

	Gauge 1 Date yyyy/mm/dd	Gauge 1 Clk Time hh:mm:ss	Gauge 1 Time hr	Gauge 1 Pres. psi(g)	Gauge 1 Temp. °F	Gauge 1 Clk Time hh:mm:ss	Gauge 2 Time hr	Gauge 2 Pres. psi(g)	Gauge 2 Temp. °F	Gauge 2 G1 - G2 psi
441	2011/03/22	18:17:02	35.3672	4278.50	157.65	18:17:02	35.3672	4278.29	157.91	0.03
442	2011/03/22	18:21:52	35.4478	4278.69	157.58	18:21:52	35.4478	4278.57	157.85	0.02
443	2011/03/22	18:26:42	35.5283	4278.58	157.51	18:26:42	35.5283	4278.69	157.77	-0.02
444	2011/03/22	18:31:32	35.6089	4278.32	157.44	18:31:32	35.6089	4278.77	157.70	-0.07
445	2011/03/22	18:36:22	35.6894	4278.73	157.36	18:36:22	35.6894	4278.50	157.63	0.03
446	2011/03/22	18:41:12	35.7700	4278.81	157.29	18:41:12	35.7700	4278.73	157.56	0.01
447	2011/03/22	18:46:02	35.8506	4278.84	157.22	18:46:02	35.8506	4278.96	157.48	-0.02
448	2011/03/22	18:50:52	35.9311	4278.82	157.14	18:50:52	35.9311	4278.81	157.40	0.00
449	2011/03/22	18:55:42	36.0117	4278.78	157.07	18:55:42	36.0117	4279.05	157.33	-0.04
450	2011/03/22	19:00:32	36.0922	4279.05	156.97	19:00:32	36.0922	4278.98	157.24	0.01
451	2011/03/22	19:05:22	36.1728	4278.87	156.87	19:05:22	36.1728	4278.87	157.13	0.00
452	2011/03/22	19:10:12	36.2533	4279.06	156.82	19:10:12	36.2533	4278.99	157.09	0.01
453	2011/03/22	19:15:02	36.3339	4279.20	156.77	19:15:02	36.3339	4279.17	157.03	0.00
454	2011/03/22	19:19:52	36.4144	4279.26	156.71	19:19:52	36.4144	4279.20	156.97	0.01
455	2011/03/22	19:24:42	36.4950	4279.46	156.64	19:24:42	36.4950	4279.18	156.90	0.04
456	2011/03/22	19:29:32	36.5756	4279.43	156.57	19:29:32	36.5756	4279.48	156.83	-0.01
457	2011/03/22	19:34:22	36.6561	4279.61	156.50	19:34:22	36.6561	4279.47	156.76	0.02
458	2011/03/22	19:39:12	36.7367	4279.45	156.43	19:39:12	36.7367	4279.45	156.69	0.00
459	2011/03/22	19:44:02	36.8172	4279.52	156.36	19:44:02	36.8172	4279.49	156.62	0.00
460	2011/03/22	19:48:52	36.8978	4279.63	156.30	19:48:52	36.8978	4279.64	156.55	-0.00
461	2011/03/22	19:53:42	36.9783	4279.73	156.23	19:53:42	36.9783	4279.79	156.49	-0.01
462	2011/03/22	19:58:32	37.0589	4279.75	156.16	19:58:32	37.0589	4279.84	156.42	-0.01
463	2011/03/22	20:03:22	37.1394	4279.68	156.09	20:03:22	37.1394	4279.74	156.34	-0.01
464	2011/03/22	20:08:12	37.2200	4279.85	156.02	20:08:12	37.2200	4279.87	156.28	-0.00
465	2011/03/22	20:13:02	37.3006	4279.85	155.95	20:13:02	37.3006	4279.97	156.21	-0.02
466	2011/03/22	20:17:52	37.3811	4280.12	155.89	20:17:52	37.3811	4279.80	156.14	0.05
467	2011/03/22	20:22:42	37.4617	4280.14	155.82	20:22:42	37.4617	4280.09	156.07	0.01
468	2011/03/22	20:27:32	37.5422	4280.14	155.76	20:27:32	37.5422	4280.23	156.01	-0.01
469	2011/03/22	20:32:22	37.6228	4280.11	155.69	20:32:22	37.6228	4280.10	155.94	0.00
470	2011/03/22	20:37:12	37.7033	4280.33	155.63	20:37:12	37.7033	4280.32	155.88	0.00
471	2011/03/22	20:42:02	37.7839	4280.39	155.56	20:42:02	37.7839	4280.23	155.82	0.02
472	2011/03/22	20:46:52	37.8644	4280.18	155.51	20:46:52	37.8644	4280.28	155.77	-0.01
473	2011/03/22	20:51:42	37.9450	4280.35	155.46	20:51:42	37.9450	4280.33	155.72	0.00
474	2011/03/22	20:56:32	38.0256	4280.53	155.42	20:56:32	38.0256	4280.42	155.68	0.02
475	2011/03/22	21:01:22	38.1061	4280.50	155.36	21:01:22	38.1061	4280.32	155.62	0.03
476	2011/03/22	21:06:12	38.1867	4280.41	155.30	21:06:12	38.1867	4280.47	155.56	-0.01
477	2011/03/22	21:11:02	38.2672	4280.50	155.23	21:11:02	38.2672	4280.63	155.49	-0.02
478	2011/03/22	21:15:52	38.3478	4280.73	155.17	21:15:52	38.3478	4280.67	155.42	0.01
479	2011/03/22	21:20:42	38.4283	4280.75	155.10	21:20:42	38.4283	4280.63	155.36	0.02
480	2011/03/22	21:25:32	38.5089	4280.86	155.03	21:25:32	38.5089	4280.96	155.28	-0.01
481	2011/03/22	21:30:22	38.5894	4280.90	154.95	21:30:22	38.5894	4280.97	155.21	-0.01
482	2011/03/22	21:35:12	38.6700	4280.91	154.88	21:35:12	38.6700	4280.88	155.14	0.00
483	2011/03/22	21:40:02	38.7506	4280.77	154.82	21:40:02	38.7506	4280.90	155.07	-0.02
484	2011/03/22	21:44:52	38.8311	4280.90	154.75	21:44:52	38.8311	4280.89	155.00	0.00

Bottom Serial Number: 4186 Start Date: 2011/03/21 06:55:00 Run Depth: 9020.00

Top Serial Number: 4185 Start Date: 2011/03/21 06:55:00 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons

Gauge 1 Date yyyy/mm/dd	Gauge 1 Clk Time hh:mm:ss	Gauge 1 Time hr	Gauge 1 Pres. psi(g)	Gauge 1 Temp. °F	Gauge 2 Clk Time hh:mm:ss	Gauge 2 Time hr	Gauge 2 Pres. psi(g)	Gauge 2 Temp. °F	Gauge 2 G1 - G2 psi	
485	2011/03/22	21:49:42	38.9117	4280.96	154.69	21:49:42	38.9117	4280.92	154.94	0.01
486	2011/03/22	21:54:32	38.9922	4281.02	154.62	21:54:32	38.9922	4281.08	154.88	-0.01
487	2011/03/22	21:59:22	39.0728	4281.16	154.56	21:59:22	39.0728	4281.02	154.81	0.02
488	2011/03/22	22:04:12	39.1533	4281.30	154.50	22:04:12	39.1533	4281.35	154.75	-0.01
489	2011/03/22	22:09:02	39.2339	4281.62	154.44	22:09:02	39.2339	4281.30	154.69	0.05
490	2011/03/22	22:13:52	39.3144	4281.46	154.38	22:13:52	39.3144	4281.42	154.63	0.01
491	2011/03/22	22:18:42	39.3950	4281.36	154.32	22:18:42	39.3950	4281.34	154.57	0.00
492	2011/03/22	22:23:32	39.4756	4281.39	154.25	22:23:32	39.4756	4281.38	154.51	0.00
493	2011/03/22	22:28:22	39.5561	4281.47	154.19	22:28:22	39.5561	4281.44	154.44	0.01
494	2011/03/22	22:33:12	39.6367	4281.48	154.13	22:33:12	39.6367	4281.55	154.38	-0.01
495	2011/03/22	22:38:02	39.7172	4281.54	154.07	22:38:02	39.7172	4281.63	154.32	-0.01
496	2011/03/22	22:42:52	39.7978	4281.74	154.02	22:42:52	39.7978	4281.72	154.27	0.00
497	2011/03/22	22:47:42	39.8783	4281.77	153.96	22:47:42	39.8783	4281.82	154.21	-0.01
498	2011/03/22	22:52:32	39.9589	4281.93	153.89	22:52:32	39.9589	4282.10	154.14	-0.02
499	2011/03/22	22:57:22	40.0394	4281.99	153.82	22:57:22	40.0394	4281.99	154.07	0.00
500	2011/03/22	23:02:12	40.1200	4282.14	153.77	23:02:12	40.1200	4282.28	154.01	-0.02
501	2011/03/22	23:07:02	40.2006	4282.22	153.70	23:07:02	40.2006	4282.12	153.95	0.02
502	2011/03/22	23:11:52	40.2811	4281.97	153.65	23:11:52	40.2811	4282.20	153.89	-0.03
503	2011/03/22	23:16:42	40.3617	4282.10	153.59	23:16:42	40.3617	4282.15	153.84	-0.01
504	2011/03/22	23:21:32	40.4422	4282.27	153.53	23:21:32	40.4422	4282.12	153.78	0.02
505	2011/03/22	23:26:22	40.5228	4282.28	153.47	23:26:22	40.5228	4282.26	153.72	0.00
506	2011/03/22	23:31:12	40.6033	4282.40	153.41	23:31:12	40.6033	4282.45	153.66	-0.01
507	2011/03/22	23:36:02	40.6839	4282.39	153.35	23:36:02	40.6839	4282.51	153.59	-0.02
508	2011/03/22	23:40:52	40.7644	4282.46	153.29	23:40:52	40.7644	4282.53	153.53	-0.01
509	2011/03/22	23:45:42	40.8450	4282.52	153.23	23:45:42	40.8450	4282.53	153.47	-0.00
510	2011/03/22	23:50:32	40.9256	4282.76	153.17	23:50:32	40.9256	4282.85	153.42	-0.01
511	2011/03/22	23:55:22	41.0061	4282.75	153.12	23:55:22	41.0061	4282.75	153.37	-0.00
512	2011/03/23	00:00:12	41.0867	4282.77	153.07	00:00:12	41.0867	4282.90	153.31	-0.02
513	2011/03/23	00:05:02	41.1672	4282.78	153.02	00:05:02	41.1672	4282.88	153.26	-0.01
514	2011/03/23	00:09:52	41.2478	4283.12	152.96	00:09:52	41.2478	4283.06	153.21	0.01
515	2011/03/23	00:14:42	41.3283	4283.11	152.92	00:14:42	41.3283	4283.19	153.16	-0.01
516	2011/03/23	00:19:32	41.4089	4283.35	152.87	00:19:32	41.4089	4283.24	153.11	0.02
517	2011/03/23	00:24:22	41.4894	4283.68	152.81	00:24:22	41.4894	4283.61	153.06	0.01
518	2011/03/23	00:29:12	41.5700	4283.84	152.76	00:29:12	41.5700	4283.52	153.00	0.05
519	2011/03/23	00:34:02	41.6506	4283.78	152.70	00:34:02	41.6506	4283.78	152.95	-0.00
520	2011/03/23	00:38:52	41.7311	4283.83	152.65	00:38:52	41.7311	4283.63	152.89	0.03
521	2011/03/23	00:43:42	41.8117	4283.69	152.60	00:43:42	41.8117	4283.74	152.84	-0.01
522	2011/03/23	00:48:32	41.8922	4283.96	152.55	00:48:32	41.8922	4284.09	152.79	-0.02
523	2011/03/23	00:53:22	41.9728	4284.06	152.50	00:53:22	41.9728	4284.21	152.74	-0.02
524	2011/03/23	00:58:12	42.0533	4284.51	152.45	00:58:12	42.0533	4284.20	152.70	0.05
525	2011/03/23	01:03:02	42.1339	4284.46	152.40	01:03:02	42.1339	4284.40	152.65	0.01
526	2011/03/23	01:07:52	42.2144	4284.54	152.36	01:07:52	42.2144	4284.48	152.60	0.01
527	2011/03/23	01:12:42	42.2950	4284.80	152.31	01:12:42	42.2950	4284.75	152.55	0.01
528	2011/03/23	01:17:32	42.3756	4284.64	152.26	01:17:32	42.3756	4284.75	152.50	-0.02

Bottom Serial Number: 4186 Start Date: 2011/03/21 06:55:00 Run Depth: 9020.00

Top Serial Number: 4185 Start Date: 2011/03/21 06:55:00 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons

Gauge 1 Date yyyy/mm/dd	Gauge 1 Clk Time hh:mm:ss	Gauge 1 Time hr	Gauge 1 Pres. psi(g)	Gauge 1 Temp. °F	Gauge 2 Clk Time hh:mm:ss	Gauge 2 Time hr	Gauge 2 Pres. psi(g)	Gauge 2 Temp. °F	Gauge 2 G1 - G2 psi	
529	2011/03/23	01:22:22	42.4561	4284.86	152.21	01:22:22	42.4561	4285.14	152.45	-0.04
530	2011/03/23	01:27:12	42.5367	4285.08	152.16	01:27:12	42.5367	4284.95	152.41	0.02
531	2011/03/23	01:32:02	42.6172	4285.06	152.12	01:32:02	42.6172	4285.22	152.36	-0.02
532	2011/03/23	01:36:52	42.6978	4285.12	152.07	01:36:52	42.6978	4285.15	152.31	-0.00
533	2011/03/23	01:41:42	42.7783	4285.23	152.02	01:41:42	42.7783	4285.32	152.27	-0.01
534	2011/03/23	01:46:32	42.8589	4285.44	151.97	01:46:32	42.8589	4285.26	152.21	0.03
535	2011/03/23	01:51:22	42.9394	4285.43	151.93	01:51:22	42.9394	4285.43	152.17	-0.00
536	2011/03/23	01:56:12	43.0200	4285.58	151.88	01:56:12	43.0200	4285.54	152.12	0.01
537	2011/03/23	02:01:02	43.1006	4285.56	151.84	02:01:02	43.1006	4285.58	152.08	-0.00
538	2011/03/23	02:05:52	43.1811	4285.78	151.79	02:05:52	43.1811	4285.71	152.03	0.01
539	2011/03/23	02:10:42	43.2617	4285.99	151.74	02:10:42	43.2617	4286.07	151.99	-0.01
540	2011/03/23	02:15:32	43.3422	4285.79	151.70	02:15:32	43.3422	4285.90	151.94	-0.02
541	2011/03/23	02:20:22	43.4228	4286.19	151.66	02:20:22	43.4228	4286.03	151.89	0.02
542	2011/03/23	02:25:12	43.5033	4286.22	151.61	02:25:12	43.5033	4286.09	151.85	0.02
543	2011/03/23	02:30:02	43.5839	4286.28	151.57	02:30:02	43.5839	4286.22	151.81	0.01
544	2011/03/23	02:34:52	43.6644	4286.38	151.52	02:34:52	43.6644	4286.47	151.76	-0.01
545	2011/03/23	02:39:42	43.7450	4286.49	151.48	02:39:42	43.7450	4286.49	151.72	-0.00
546	2011/03/23	02:44:32	43.8256	4286.61	151.44	02:44:32	43.8256	4286.64	151.68	-0.00
547	2011/03/23	02:49:22	43.9061	4286.84	151.39	02:49:22	43.9061	4286.62	151.64	0.03
548	2011/03/23	02:54:12	43.9867	4286.84	151.35	02:54:12	43.9867	4286.97	151.59	-0.02
549	2011/03/23	02:59:02	44.0672	4286.61	151.31	02:59:02	44.0672	4286.90	151.55	-0.04
550	2011/03/23	03:03:52	44.1478	4287.00	151.27	03:03:52	44.1478	4287.01	151.51	-0.00
551	2011/03/23	03:08:42	44.2283	4287.24	151.23	03:08:42	44.2283	4287.04	151.47	0.03
552	2011/03/23	03:13:32	44.3089	4287.35	151.19	03:13:32	44.3089	4287.42	151.42	-0.01
553	2011/03/23	03:18:22	44.3894	4287.47	151.14	03:18:22	44.3894	4287.36	151.38	0.02
554	2011/03/23	03:23:12	44.4700	4287.47	151.10	03:23:12	44.4700	4287.64	151.34	-0.02
555	2011/03/23	03:28:02	44.5506	4287.59	151.06	03:28:02	44.5506	4287.69	151.29	-0.02
556	2011/03/23	03:32:52	44.6311	4287.76	151.02	03:32:52	44.6311	4287.69	151.25	0.01
557	2011/03/23	03:37:42	44.7117	4287.85	150.98	03:37:42	44.7117	4287.94	151.21	-0.01
558	2011/03/23	03:42:32	44.7922	4287.96	150.94	03:42:32	44.7922	4287.99	151.17	-0.00
559	2011/03/23	03:47:22	44.8728	4288.02	150.90	03:47:22	44.8728	4288.19	151.13	-0.02
560	2011/03/23	03:52:12	44.9533	4288.18	150.86	03:52:12	44.9533	4288.03	151.10	0.02
561	2011/03/23	03:57:02	45.0339	4288.05	150.82	03:57:02	45.0339	4288.13	151.06	-0.01
562	2011/03/23	04:01:52	45.1144	4288.22	150.78	04:01:52	45.1144	4288.26	151.02	-0.01
563	2011/03/23	04:06:42	45.1950	4288.18	150.74	04:06:42	45.1950	4288.28	150.98	-0.01
564	2011/03/23	04:11:32	45.2756	4288.36	150.71	04:11:32	45.2756	4288.46	150.94	-0.01
565	2011/03/23	04:16:22	45.3561	4288.44	150.67	04:16:22	45.3561	4288.72	150.91	-0.04
566	2011/03/23	04:21:12	45.4367	4288.66	150.63	04:21:12	45.4367	4288.29	150.86	0.05
567	2011/03/23	04:26:02	45.5172	4288.75	150.59	04:26:02	45.5172	4288.82	150.83	-0.01
568	2011/03/23	04:30:52	45.5978	4288.96	150.55	04:30:52	45.5978	4288.86	150.79	0.01
569	2011/03/23	04:35:42	45.6783	4288.96	150.51	04:35:42	45.6783	4289.13	150.75	-0.02
570	2011/03/23	04:40:32	45.7589	4288.86	150.48	04:40:32	45.7589	4288.95	150.71	-0.01
571	2011/03/23	04:45:22	45.8394	4289.05	150.44	04:45:22	45.8394	4289.01	150.68	0.01
572	2011/03/23	04:50:12	45.9200	4289.20	150.41	04:50:12	45.9200	4289.29	150.64	-0.01

Bottom Serial Number: 4186 Start Date: 2011/03/21 06:55:00 Run Depth: 9020.00

Top Serial Number: 4185 Start Date: 2011/03/21 06:55:00 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons

Gauge 1 Date yyyy/mm/dd	Gauge 1 Clk Time hh:mm:ss	Gauge 1 Time hr	Gauge 1 Pres. psi(g)	Gauge 1 Temp. °F	Gauge 2 Clk Time hh:mm:ss	Gauge 2 Time hr	Gauge 2 Pres. psi(g)	Gauge 2 Temp. °F	Gauge 2 G1 - G2 psi	Diff.
573	2011/03/23	04:55:02	46.0006	4288.95	150.37	04:55:02	46.0006	4289.27	150.61	-0.05
574	2011/03/23	04:59:52	46.0811	4289.47	150.33	04:59:52	46.0811	4289.56	150.57	-0.01
575	2011/03/23	05:04:42	46.1617	4289.52	150.29	05:04:42	46.1617	4289.39	150.53	0.02
576	2011/03/23	05:09:32	46.2422	4289.66	150.26	05:09:32	46.2422	4289.47	150.49	0.03
577	2011/03/23	05:14:22	46.3228	4289.69	150.22	05:14:22	46.3228	4289.62	150.46	0.01
578	2011/03/23	05:19:12	46.4033	4289.72	150.18	05:19:12	46.4033	4289.60	150.42	0.02
579	2011/03/23	05:24:02	46.4839	4290.11	150.15	05:24:02	46.4839	4289.93	150.38	0.03
580	2011/03/23	05:28:52	46.5644	4289.89	150.11	05:28:52	46.5644	4289.89	150.34	-0.00
581	2011/03/23	05:33:42	46.6450	4290.10	150.08	05:33:42	46.6450	4290.07	150.31	0.00
582	2011/03/23	05:38:32	46.7256	4290.11	150.04	05:38:32	46.7256	4290.24	150.28	-0.02
583	2011/03/23	05:43:22	46.8061	4290.24	150.01	05:43:22	46.8061	4290.26	150.24	-0.00
584	2011/03/23	05:48:12	46.8867	4290.10	149.97	05:48:12	46.8867	4290.22	150.21	-0.02
585	2011/03/23	05:53:02	46.9672	4290.33	149.94	05:53:02	46.9672	4290.45	150.17	-0.02
586	2011/03/23	05:57:52	47.0478	4290.68	149.91	05:57:52	47.0478	4290.63	150.14	0.01
587	2011/03/23	06:02:42	47.1283	4290.66	149.87	06:02:42	47.1283	4291.08	150.10	-0.06
588	2011/03/23	06:07:32	47.2089	4290.75	149.84	06:07:32	47.2089	4290.50	150.07	0.04
589	2011/03/23	06:12:22	47.2894	4290.69	149.80	06:12:22	47.2894	4290.59	150.04	0.01
590	2011/03/23	06:17:12	47.3700	4290.94	149.77	06:17:12	47.3700	4290.99	150.00	-0.01
591	2011/03/23	06:22:02	47.4506	4290.90	149.74	06:22:02	47.4506	4290.61	149.97	0.04
592	2011/03/23	06:26:52	47.5311	4291.34	149.71	06:26:52	47.5311	4290.56	149.94	0.11
593	2011/03/23	06:31:42	47.6117	4291.26	149.67	06:31:42	47.6117	4291.50	149.90	-0.03
594	2011/03/23	06:36:32	47.6922	4291.24	149.63	06:36:32	47.6922	4291.79	149.87	-0.08
595	2011/03/23	06:41:22	47.7728	4291.33	149.60	06:41:22	47.7728	4291.55	149.83	-0.03
596	2011/03/23	06:46:12	47.8533	4291.47	149.57	06:46:12	47.8533	4291.45	149.80	0.00
597	2011/03/23	06:51:02	47.9339	4291.38	149.54	06:51:02	47.9339	4291.45	149.77	-0.01
598	2011/03/23	06:55:52	48.0144	4291.64	149.50	06:55:52	48.0144	4292.07	149.74	-0.06
599	2011/03/23	07:00:42	48.0950	4291.48	149.47	07:00:42	48.0950	4292.11	149.70	-0.09
600	2011/03/23	07:05:32	48.1756	4256.06	150.24	07:05:32	48.1756	4255.47	150.46	0.09
601	2011/03/23	07:10:22	48.2561	4247.73	154.01	07:10:22	48.2561	4247.74	154.37	-0.00
602	2011/03/23	07:15:12	48.3367	4241.24	158.53	07:15:12	48.3367	4241.37	159.00	-0.02
603	2011/03/23	07:20:02	48.4172	4235.18	162.43	07:20:02	48.4172	4235.94	162.99	-0.11
604	2011/03/23	07:24:52	48.4978	4229.97	165.76	07:24:52	48.4978	4230.09	166.36	-0.02
605	2011/03/23	07:29:42	48.5783	4224.99	168.57	07:29:42	48.5783	4225.28	169.21	-0.04
606	2011/03/23	07:34:32	48.6589	4220.30	171.05	07:34:32	48.6589	4220.52	171.71	-0.03
607	2011/03/23	07:39:22	48.7394	4216.09	173.27	07:39:22	48.7394	4216.12	173.95	-0.00
608	2011/03/23	07:44:12	48.8200	4211.59	175.28	07:44:12	48.8200	4211.83	175.98	-0.04
609	2011/03/23	07:49:02	48.9006	4207.75	177.11	07:49:02	48.9006	4207.84	177.82	-0.01
610	2011/03/23	07:53:52	48.9811	4203.63	178.80	07:53:52	48.9811	4203.70	179.53	-0.01
611	2011/03/23	07:58:42	49.0617	4199.80	180.39	07:58:42	49.0617	4199.97	181.13	-0.02
612	2011/03/23	08:03:32	49.1422	4196.09	181.86	08:03:32	49.1422	4196.25	182.60	-0.02
613	2011/03/23	08:08:22	49.2228	4192.68	183.59	08:08:22	49.2228	4193.10	184.37	-0.06
614	2011/03/23	08:13:12	49.3033	4189.14	185.13	08:13:12	49.3033	4189.52	185.92	-0.05
615	2011/03/23	08:18:02	49.3839	4185.67	186.50	08:18:02	49.3839	4185.80	187.26	-0.02
616	2011/03/23	08:22:52	49.4644	4182.48	187.73	08:22:52	49.4644	4182.51	188.52	-0.00

Bottom Serial Number: 4186 Start Date: 2011/03/21 06:55:00 Run Depth: 9020.00

Top Serial Number: 4185 Start Date: 2011/03/21 06:55:00 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons

	Gauge 1 Date yyyy/mm/dd	Gauge 1 Clk Time hh:mm:ss	Gauge 1 Time hr	Gauge 1 Pres. psi(g)	Gauge 1 Temp. °F	Gauge 2 Clk Time hh:mm:ss	Gauge 2 Time hr	Gauge 2 Pres. psi(g)	Gauge 2 Temp. °F	Gauge 2 Diff. G1 - G2 psi
617	2011/03/23	08:27:42	49.5450	4179.12	188.95	08:27:42	49.5450	4179.36	189.73	-0.03
618	2011/03/23	08:32:32	49.6256	4175.64	190.06	08:32:32	49.6256	4176.25	190.87	-0.09
619	2011/03/23	08:37:22	49.7061	4172.83	191.09	08:37:22	49.7061	4173.17	191.91	-0.05
620	2011/03/23	08:42:12	49.7867	4169.85	192.18	08:42:12	49.7867	4170.16	192.99	-0.04
621	2011/03/23	08:47:02	49.8672	4166.77	193.13	08:47:02	49.8672	4167.01	193.99	-0.04
622	2011/03/23	08:51:52	49.9478	4163.77	194.05	08:51:52	49.9478	4164.06	194.90	-0.04
623	2011/03/23	08:56:42	50.0283	4160.96	194.97	08:56:42	50.0283	4161.11	195.78	-0.02
624	2011/03/23	09:01:32	50.1089	4158.16	195.79	09:01:32	50.1089	4158.46	196.64	-0.04
625	2011/03/23	09:06:22	50.1894	4155.31	196.63	09:06:22	50.1894	4155.56	197.45	-0.04
626	2011/03/23	09:11:12	50.2700	4152.50	197.40	09:11:12	50.2700	4152.75	198.25	-0.04
627	2011/03/23	09:16:02	50.3506	4148.82	198.18	09:16:02	50.3506	4150.32	199.01	-0.22
628	2011/03/23	09:20:52	50.4311	4146.61	198.91	09:20:52	50.4311	4147.40	199.75	-0.11
629	2011/03/23	09:25:42	50.5117	4144.45	199.64	09:25:42	50.5117	4144.58	200.44	-0.02
630	2011/03/23	09:30:32	50.5922	4141.66	200.29	09:30:32	50.5922	4142.13	201.13	-0.07
631	2011/03/23	09:35:22	50.6728	4139.27	200.96	09:35:22	50.6728	4139.56	201.79	-0.04
632	2011/03/23	09:40:12	50.7533	4136.63	201.60	09:40:12	50.7533	4136.69	202.44	-0.01
633	2011/03/23	09:45:02	50.8339	4134.38	202.21	09:45:02	50.8339	4134.60	203.06	-0.03
634	2011/03/23	09:49:52	50.9144	4131.44	202.82	09:49:52	50.9144	4132.00	203.66	-0.08
635	2011/03/23	09:54:42	50.9950	4129.03	203.42	09:54:42	50.9950	4129.30	204.25	-0.04
636	2011/03/23	09:59:32	51.0756	4126.90	204.00	09:59:32	51.0756	4126.97	204.81	-0.01
637	2011/03/23	10:04:22	51.1561	4124.52	204.52	10:04:22	51.1561	4124.69	205.40	-0.02
638	2011/03/23	10:09:12	51.2367	4122.12	205.07	10:09:12	51.2367	4122.36	205.90	-0.04
639	2011/03/23	10:14:02	51.3172	4119.68	205.61	10:14:02	51.3172	4119.89	206.43	-0.03
640	2011/03/23	10:18:52	51.3978	4117.42	206.14	10:18:52	51.3978	4117.69	206.99	-0.04
641	2011/03/23	10:23:42	51.4783	4115.11	206.65	10:23:42	51.4783	4115.15	207.49	-0.00
642	2011/03/23	10:28:32	51.5589	4112.74	206.29	10:28:32	51.5589	4113.02	207.34	-0.04
643	2011/03/23	10:33:22	51.6394	4110.34	206.25	10:33:22	51.6394	4110.57	207.32	-0.03
644	2011/03/23	10:38:12	51.7200	4108.12	206.34	10:38:12	51.7200	4108.36	207.53	-0.03
645	2011/03/23	10:43:02	51.8006	4105.57	206.62	10:43:02	51.8006	4106.12	207.75	-0.08
646	2011/03/23	10:47:52	51.8811	4103.90	206.91	10:47:52	51.8811	4103.84	208.13	0.01
647	2011/03/23	10:52:42	51.9617	4101.49	207.54	10:52:42	51.9617	4101.82	208.66	-0.05
648	2011/03/23	10:57:32	52.0422	4099.46	208.24	10:57:32	52.0422	4099.79	209.29	-0.05
649	2011/03/23	11:02:22	52.1228	4097.40	208.83	11:02:22	52.1228	4097.61	209.89	-0.03
650	2011/03/23	11:07:12	52.2033	4095.26	209.42	11:07:12	52.2033	4095.65	210.42	-0.06
651	2011/03/23	11:12:02	52.2839	4093.26	209.93	11:12:02	52.2839	4093.45	210.92	-0.03
652	2011/03/23	11:16:52	52.3644	4091.13	210.46	11:16:52	52.3644	4091.39	211.44	-0.04
653	2011/03/23	11:21:42	52.4450	4089.06	210.92	11:21:42	52.4450	4089.36	211.89	-0.04
654	2011/03/23	11:26:32	52.5256	4087.00	211.36	11:26:32	52.5256	4087.35	212.36	-0.05
655	2011/03/23	11:31:22	52.6061	4085.04	211.83	11:31:22	52.6061	4085.24	212.78	-0.03
656	2011/03/23	11:36:12	52.6867	4082.97	212.30	11:36:12	52.6867	4083.37	213.24	-0.06
657	2011/03/23	11:41:02	52.7672	4081.07	212.69	11:41:02	52.7672	4081.39	213.63	-0.05
658	2011/03/23	11:45:52	52.8478	4079.05	213.08	11:45:52	52.8478	4079.30	214.01	-0.04
659	2011/03/23	11:50:42	52.9283	4077.07	213.45	11:50:42	52.9283	4077.46	214.36	-0.06
660	2011/03/23	11:55:32	53.0089	4075.21	213.82	11:55:32	53.0089	4075.51	214.72	-0.04

Bottom Serial Number: 4186 Start Date: 2011/03/21 06:55:00 Run Depth: 9020.00

Top Serial Number: 4185 Start Date: 2011/03/21 06:55:00 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons

Gauge 1 Date yyyy/mm/dd	Gauge 1 Clk Time hh:mm:ss	Gauge 1 Time hr	Gauge 1 Pres. psi(g)	Gauge 1 Temp. °F	Gauge 1 Clk Time hh:mm:ss	Gauge 2 Time hr	Gauge 2 Pres. psi(g)	Gauge 2 Temp. °F	Gauge 2 Clk Time hh:mm:ss	Diff. G1 - G2 psi
661	2011/03/23	12:00:22	53.0894	4073.25	214.17	12:00:22	53.0894	4073.72	215.07	-0.07
662	2011/03/23	12:05:12	53.1700	4071.41	214.50	12:05:12	53.1700	4071.79	215.41	-0.05
663	2011/03/23	12:10:02	53.2506	4069.44	214.85	12:10:02	53.2506	4069.54	215.72	-0.01
664	2011/03/23	12:14:52	53.3311	4067.65	215.13	12:14:52	53.3311	4067.89	216.03	-0.04
665	2011/03/23	12:19:42	53.4117	4065.78	215.45	12:19:42	53.4117	4065.78	216.33	0.00
666	2011/03/23	12:24:32	53.4922	4063.81	215.73	12:24:32	53.4922	4064.28	216.63	-0.07
667	2011/03/23	12:29:22	53.5728	4062.07	216.01	12:29:22	53.5728	4062.35	216.90	-0.04
668	2011/03/23	12:34:12	53.6533	4060.33	216.29	12:34:12	53.6533	4060.70	217.21	-0.05
669	2011/03/23	12:39:02	53.7339	4058.36	216.59	12:39:02	53.7339	4058.72	217.46	-0.05
670	2011/03/23	12:43:52	53.8144	4056.67	216.83	12:43:52	53.8144	4056.92	217.73	-0.04
671	2011/03/23	12:48:42	53.8950	4055.04	217.11	12:48:42	53.8950	4055.31	217.98	-0.04
672	2011/03/23	12:53:32	53.9756	4053.29	217.37	12:53:32	53.9756	4053.53	218.29	-0.03
673	2011/03/23	12:58:22	54.0561	4051.57	217.62	12:58:22	54.0561	4051.83	218.53	-0.04
674	2011/03/23	13:03:12	54.1367	4049.84	217.87	13:03:12	54.1367	4049.98	218.76	-0.02
675	2011/03/23	13:08:02	54.2172	4048.28	218.14	13:08:02	54.2172	4048.44	219.02	-0.02
676	2011/03/23	13:12:52	54.2978	4046.64	218.38	13:12:52	54.2978	4047.02	219.26	-0.05
677	2011/03/23	13:17:42	54.3783	4044.99	218.61	13:17:42	54.3783	4044.92	219.49	0.01
678	2011/03/23	13:22:32	54.4589	4043.45	218.84	13:22:32	54.4589	4043.66	219.73	-0.03
679	2011/03/23	13:27:22	54.5394	4041.85	219.08	13:27:22	54.5394	4042.33	219.94	-0.07
680	2011/03/23	13:32:12	54.6200	4040.44	219.30	13:32:12	54.6200	4040.23	220.18	0.03
681	2011/03/23	13:37:02	54.7006	4038.78	219.54	13:37:02	54.7006	4038.76	220.41	0.00
682	2011/03/23	13:41:52	54.7811	4037.27	219.76	13:41:52	54.7811	4037.44	220.64	-0.02
683	2011/03/23	13:46:42	54.8617	4035.84	219.97	13:46:42	54.8617	4036.07	220.87	-0.03
684	2011/03/23	13:51:32	54.9422	4034.32	220.22	13:51:32	54.9422	4034.48	221.09	-0.02
685	2011/03/23	13:56:22	55.0228	4032.96	220.44	13:56:22	55.0228	4033.22	221.31	-0.04
686	2011/03/23	14:01:12	55.1033	4031.49	220.65	14:01:12	55.1033	4031.61	221.54	-0.02
687	2011/03/23	14:06:02	55.1839	4030.08	220.88	14:06:02	55.1839	4030.37	221.73	-0.04
688	2011/03/23	14:10:52	55.2644	4028.70	221.08	14:10:52	55.2644	4029.04	221.95	-0.05
689	2011/03/23	14:15:42	55.3450	4027.34	221.27	14:15:42	55.3450	4027.54	222.14	-0.03
690	2011/03/23	14:20:32	55.4256	4025.93	221.48	14:20:32	55.4256	4026.35	222.35	-0.06
691	2011/03/23	14:25:22	55.5061	4024.63	221.68	14:25:22	55.5061	4024.76	222.54	-0.02
692	2011/03/23	14:30:12	55.5867	4023.37	221.88	14:30:12	55.5867	4023.60	222.74	-0.03
693	2011/03/23	14:35:02	55.6672	4022.04	222.05	14:35:02	55.6672	4022.40	222.90	-0.05
694	2011/03/23	14:39:52	55.7478	4020.76	222.22	14:39:52	55.7478	4021.01	223.09	-0.04
695	2011/03/23	14:44:42	55.8283	4019.55	222.41	14:44:42	55.8283	4019.83	223.27	-0.04
696	2011/03/23	14:49:32	55.9089	4018.24	222.59	14:49:32	55.9089	4018.58	223.45	-0.05
697	2011/03/23	14:54:22	55.9894	4017.11	222.76	14:54:22	55.9894	4017.37	223.60	-0.04
698	2011/03/23	14:59:12	56.0700	4015.88	222.91	14:59:12	56.0700	4016.24	223.77	-0.05
699	2011/03/23	15:04:02	56.1506	4014.65	223.06	15:04:02	56.1506	4014.92	223.94	-0.04
700	2011/03/23	15:08:52	56.2311	4013.50	223.22	15:08:52	56.2311	4013.79	224.10	-0.04
701	2011/03/23	15:13:42	56.3117	4012.43	223.39	15:13:42	56.3117	4012.86	224.27	-0.06
702	2011/03/23	15:18:32	56.3922	4011.22	223.54	15:18:32	56.3922	4011.61	224.41	-0.06
703	2011/03/23	15:23:22	56.4728	4010.19	223.69	15:23:22	56.4728	4010.45	224.55	-0.04
704	2011/03/23	15:28:12	56.5533	4009.07	223.83	15:28:12	56.5533	4009.48	224.72	-0.06

Bottom Serial Number: 4186 Start Date: 2011/03/21 06:55:00 Run Depth: 9020.00

Top Serial Number: 4185 Start Date: 2011/03/21 06:55:00 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons

Gauge 1 Date yyyy/mm/dd	Gauge 1 Clk Time hh:mm:ss	Gauge 1 Time hr	Gauge 1 Pres. psi(g)	Gauge 1 Temp. °F	Gauge 1 Clk Time hh:mm:ss	Gauge 2 Time hr	Gauge 2 Pres. psi(g)	Gauge 2 Temp. °F	Gauge 2 G1 - G2 psi	
705	2011/03/23	15:33:02	56.6339	4007.91	224.00	15:33:02	56.6339	4008.32	224.86	-0.06
706	2011/03/23	15:37:52	56.7144	4006.91	224.14	15:37:52	56.7144	4007.09	225.00	-0.03
707	2011/03/23	15:42:42	56.7950	4005.92	224.27	15:42:42	56.7950	4006.14	225.14	-0.03
708	2011/03/23	15:47:32	56.8756	4004.78	224.41	15:47:32	56.8756	4005.53	225.28	-0.11
709	2011/03/23	15:52:22	56.9561	4003.77	224.53	15:52:22	56.9561	4005.17	225.41	-0.20
710	2011/03/23	15:57:12	57.0367	4002.87	224.66	15:57:12	57.0367	4003.73	225.54	-0.12
711	2011/03/23	16:02:02	57.1172	4001.97	224.80	16:02:02	57.1172	4002.60	225.68	-0.09
712	2011/03/23	16:06:52	57.1978	4000.81	224.94	16:06:52	57.1978	4000.80	225.80	0.00
713	2011/03/23	16:11:42	57.2783	3999.94	225.06	16:11:42	57.2783	4000.50	225.93	-0.08
714	2011/03/23	16:16:32	57.3589	3998.87	225.18	16:16:32	57.3589	3999.46	226.05	-0.09
715	2011/03/23	16:21:22	57.4394	3998.07	225.30	16:21:22	57.4394	3998.40	226.18	-0.05
716	2011/03/23	16:26:12	57.5200	3996.81	225.43	16:26:12	57.5200	3997.39	226.29	-0.08
717	2011/03/23	16:31:02	57.6006	3996.13	225.54	16:31:02	57.6006	3996.51	226.39	-0.05
718	2011/03/23	16:35:52	57.6811	3995.27	225.65	16:35:52	57.6811	3995.74	226.52	-0.07
719	2011/03/23	16:40:42	57.7617	3994.37	225.78	16:40:42	57.7617	3994.70	226.65	-0.05
720	2011/03/23	16:45:32	57.8422	3993.58	225.88	16:45:32	57.8422	3993.88	226.75	-0.04
721	2011/03/23	16:50:22	57.9228	3992.65	226.00	16:50:22	57.9228	3993.05	226.86	-0.06
722	2011/03/23	16:55:12	58.0033	3991.95	226.08	16:55:12	58.0033	3992.21	226.96	-0.04
723	2011/03/23	17:00:02	58.0839	3991.02	226.21	17:00:02	58.0839	3991.37	227.10	-0.05
724	2011/03/23	17:04:52	58.1644	3990.14	226.32	17:04:52	58.1644	3990.50	227.19	-0.05
725	2011/03/23	17:09:42	58.2450	3989.46	226.44	17:09:42	58.2450	3989.85	227.30	-0.06
726	2011/03/23	17:14:32	58.3256	3988.57	226.54	17:14:32	58.3256	3989.02	227.41	-0.07
727	2011/03/23	17:19:22	58.4061	3987.82	226.62	17:19:22	58.4061	3988.21	227.51	-0.06
728	2011/03/23	17:24:12	58.4867	3987.14	226.75	17:24:12	58.4867	3987.38	227.62	-0.03
729	2011/03/23	17:29:02	58.5672	3986.23	226.82	17:29:02	58.5672	3986.60	227.71	-0.05
730	2011/03/23	17:33:52	58.6478	3985.45	226.92	17:33:52	58.6478	3985.81	227.81	-0.05
731	2011/03/23	17:38:42	58.7283	3984.84	227.01	17:38:42	58.7283	3985.15	227.90	-0.04
732	2011/03/23	17:43:32	58.8089	3984.17	227.11	17:43:32	58.8089	3984.38	228.01	-0.03
733	2011/03/23	17:48:22	58.8894	3983.39	227.21	17:48:22	58.8894	3983.75	228.10	-0.05
734	2011/03/23	17:53:12	58.9700	3982.70	227.30	17:53:12	58.9700	3982.93	228.20	-0.03
735	2011/03/23	17:58:02	59.0506	3981.93	227.40	17:58:02	59.0506	3982.30	228.29	-0.05
736	2011/03/23	18:02:52	59.1311	3981.23	227.49	18:02:52	59.1311	3981.49	228.38	-0.04
737	2011/03/23	18:07:42	59.2117	3980.47	227.59	18:07:42	59.2117	3980.86	228.46	-0.06
738	2011/03/23	18:12:32	59.2922	3979.72	227.66	18:12:32	59.2922	3980.23	228.57	-0.07
739	2011/03/23	18:17:22	59.3728	3979.23	227.76	18:17:22	59.3728	3979.42	228.66	-0.03
740	2011/03/23	18:22:12	59.4533	3978.40	227.85	18:22:12	59.4533	3978.77	228.74	-0.05
741	2011/03/23	18:27:02	59.5339	3977.87	227.94	18:27:02	59.5339	3978.12	228.83	-0.04
742	2011/03/23	18:31:52	59.6144	3977.24	228.01	18:31:52	59.6144	3977.51	228.90	-0.04
743	2011/03/23	18:36:42	59.6950	3976.57	228.09	18:36:42	59.6950	3976.80	228.98	-0.03
744	2011/03/23	18:41:32	59.7756	3975.97	228.17	18:41:32	59.7756	3976.28	229.08	-0.04
745	2011/03/23	18:46:22	59.8561	3975.22	228.26	18:46:22	59.8561	3975.56	229.16	-0.05
746	2011/03/23	18:51:12	59.9367	3974.73	228.34	18:51:12	59.9367	3975.05	229.23	-0.05
747	2011/03/23	18:56:32	60.0589	3973.88	228.48	18:58:32	60.0589	3974.14	229.36	-0.04
748	2011/03/23	19:27:32	60.5422	3970.35	228.92	19:27:32	60.5422	3970.56	229.80	-0.03

Bottom Serial Number: 4186 Start Date: 2011/03/21 06:55:00 Run Depth: 9020.00

Top Serial Number: 4185 Start Date: 2011/03/21 06:55:00 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenberg Disposal
 SE NW Sec.10 T1N-R67W
 Start Test Date: 2011/03/21
 Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
 Formation: Lyons
 Pool: Lyons

	Gauge 1 Date yyyy/mm/dd	Gauge 1 Clk Time hh:mm:ss	Gauge 1 Time hr	Gauge 1 Pres. psi(g)	Gauge 1 Temp. °F	Gauge 2 Clk Time hh:mm:ss	Gauge 2 Time hr	Gauge 2 Pres. psi(g)	Gauge 2 Temp. °F	Gauge 2 G1 - G2 psi	Diff.
749	2011/03/23	19:56:32	61.0256	3966.98	229.34	19:56:32	61.0256	3967.36	230.24	-0.06	
750	2011/03/23	20:25:32	61.5089	3963.62	229.74	20:25:32	61.5089	3964.01	230.63	-0.06	
751	2011/03/23	20:54:32	61.9922	3960.79	230.12	20:54:32	61.9922	3961.02	231.01	-0.03	
752	2011/03/23	21:23:32	62.4756	3957.85	230.45	21:23:32	62.4756	3958.24	231.35	-0.06	
753	2011/03/23	21:52:32	62.9589	3955.27	230.79	21:52:32	62.9589	3955.55	231.70	-0.04	
754	2011/03/23	22:21:32	63.4422	3952.54	231.11	22:21:32	63.4422	3952.94	232.01	-0.06	
755	2011/03/23	22:50:32	63.9256	3950.01	231.40	22:50:32	63.9256	3950.43	232.32	-0.06	
756	2011/03/23	23:19:32	64.4089	3947.67	231.69	23:19:32	64.4089	3947.91	232.61	-0.03	
757	2011/03/23	23:48:32	64.8922	3945.32	231.98	23:48:32	64.8922	3945.59	232.87	-0.04	
758	2011/03/24	00:17:32	65.3756	3943.27	232.22	00:17:32	65.3756	3943.29	233.14	-0.00	
759	2011/03/24	00:46:32	65.8589	3940.77	232.48	00:46:32	65.8589	3941.17	233.40	-0.06	
760	2011/03/24	01:15:32	66.3422	3938.81	232.70	01:15:32	66.3422	3939.07	233.63	-0.04	
761	2011/03/24	01:44:32	66.8256	3936.68	232.95	01:44:32	66.8256	3937.04	233.84	-0.05	
762	2011/03/24	02:13:32	67.3089	3934.75	233.15	02:13:32	67.3089	3935.09	234.07	-0.05	
763	2011/03/24	02:42:32	67.7922	3932.98	233.37	02:42:32	67.7922	3933.19	234.30	-0.03	
764	2011/03/24	03:11:32	68.2756	3931.00	233.56	03:11:32	68.2756	3931.16	234.48	-0.02	
765	2011/03/24	03:40:32	68.7589	3929.38	233.77	03:40:32	68.7589	3929.65	234.68	-0.04	
766	2011/03/24	04:09:32	69.2422	3927.64	233.95	04:09:32	69.2422	3927.88	234.88	-0.04	
767	2011/03/24	04:38:32	69.7256	3925.99	234.15	04:38:32	69.7256	3926.14	235.07	-0.02	
768	2011/03/24	05:07:32	70.2089	3924.32	234.31	05:07:32	70.2089	3924.56	235.24	-0.03	
769	2011/03/24	05:36:32	70.6922	3922.71	234.47	05:36:32	70.6922	3923.06	235.40	-0.05	
770	2011/03/24	06:05:32	71.1756	3921.25	234.64	06:05:32	71.1756	3921.63	235.56	-0.05	
771	2011/03/24	06:34:32	71.6589	3919.74	234.80	06:34:32	71.6589	3920.11	235.73	-0.05	
772	2011/03/24	07:03:32	72.1422	3918.37	234.95	07:03:32	72.1422	3918.64	235.86	-0.04	
773	2011/03/24	07:32:32	72.6256	3916.97	235.10	07:32:32	72.6256	3917.27	236.04	-0.04	
774	2011/03/24	08:01:32	73.1089	3915.47	235.25	08:01:32	73.1089	3915.92	236.18	-0.07	
775	2011/03/24	08:30:32	73.5922	3914.23	235.40	08:30:32	73.5922	3914.46	236.34	-0.03	
776	2011/03/24	08:59:32	74.0756	3912.86	235.53	08:59:32	74.0756	3913.14	236.47	-0.04	
777	2011/03/24	09:28:32	74.5589	3911.47	235.67	09:28:32	74.5589	3911.85	236.60	-0.05	
778	2011/03/24	09:57:32	75.0422	3910.38	235.79	09:57:32	75.0422	3910.64	236.71	-0.04	
779	2011/03/24	10:26:32	75.5256	3909.05	235.93	10:26:32	75.5256	3909.40	236.84	-0.05	
780	2011/03/24	10:55:32	76.0089	3907.92	236.03	10:55:32	76.0089	3908.08	236.96	-0.02	
781	2011/03/24	11:24:32	76.4922	3906.78	236.16	11:24:32	76.4922	3907.02	237.09	-0.03	
782	2011/03/24	11:53:32	76.9756	3905.68	236.25	11:53:32	76.9756	3905.85	237.20	-0.02	
783	2011/03/24	12:22:32	77.4589	3904.49	236.37	12:22:32	77.4589	3904.67	237.31	-0.03	
784	2011/03/24	12:51:32	77.9422	3903.35	236.49	12:51:32	77.9422	3903.59	237.41	-0.03	
785	2011/03/24	13:20:32	78.4256	3902.14	236.58	13:20:32	78.4256	3902.46	237.52	-0.05	
786	2011/03/24	13:49:32	78.9089	3901.11	236.68	13:49:32	78.9089	3901.44	237.61	-0.05	
787	2011/03/24	14:18:32	79.3922	3900.04	236.79	14:18:32	79.3922	3900.32	237.71	-0.04	
788	2011/03/24	14:47:32	79.8756	3898.85	236.90	14:47:32	79.8756	3899.33	237.83	-0.07	
789	2011/03/24	15:16:32	80.3589	3898.03	236.99	15:16:32	80.3589	3898.29	237.92	-0.04	
790	2011/03/24	15:45:32	80.8422	3897.08	237.07	15:45:32	80.8422	3897.22	238.02	-0.02	
791	2011/03/24	16:14:32	81.3256	3896.12	237.18	16:14:32	81.3256	3896.44	238.11	-0.05	
792	2011/03/24	16:43:32	81.8089	3895.22	237.26	16:43:32	81.8089	3895.49	238.20	-0.04	

Bottom Serial Number: 4186 Start Date: 2011/03/21 06:55:00 Run Depth: 9020.00

Top Serial Number: 4185 Start Date: 2011/03/21 06:55:00 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons

	Gauge 1 Date yyyy/mm/dd	Gauge 1 Clk Time hh:mm:ss	Gauge 1 Time hr	Gauge 1 Pres. psi(g)	Gauge 1 Temp. °F	Gauge 2 Clk Time hh:mm:ss	Gauge 2 Time hr	Gauge 2 Pres. psi(g)	Gauge 2 Temp. °F	Gauge 2 G1 - G2 psi
793	2011/03/24	17:12:32	82.2922	3894.21	237.35	17:12:32	82.2922	3894.59	238.28	-0.06
794	2011/03/24	17:41:32	82.7756	3893.22	237.42	17:41:32	82.7756	3893.44	238.37	-0.03
795	2011/03/24	18:10:32	83.2589	3892.36	237.51	18:10:32	83.2589	3892.64	238.45	-0.04
796	2011/03/24	18:39:32	83.7422	3891.36	237.60	18:39:32	83.7422	3891.74	238.53	-0.05
797	2011/03/24	19:08:32	84.2256	3890.60	237.69	19:08:32	84.2256	3890.84	238.61	-0.03
798	2011/03/24	19:37:32	84.7089	3889.62	237.75	19:37:32	84.7089	3889.96	238.69	-0.05
799	2011/03/24	20:06:32	85.1922	3888.75	237.83	20:06:32	85.1922	3888.96	238.77	-0.03
800	2011/03/24	20:35:32	85.6756	3887.93	237.91	20:35:32	85.6756	3888.21	238.84	-0.04
801	2011/03/24	21:04:32	86.1589	3887.13	237.98	21:04:32	86.1589	3887.50	238.92	-0.05
802	2011/03/24	21:33:32	86.6422	3886.38	238.05	21:33:32	86.6422	3886.72	238.99	-0.05
803	2011/03/24	22:02:32	87.1256	3885.65	238.12	22:02:32	87.1256	3885.75	239.08	-0.01
804	2011/03/24	22:31:32	87.6089	3884.88	238.20	22:31:32	87.6089	3885.10	239.13	-0.03
805	2011/03/24	23:00:32	88.0922	3884.03	238.26	23:00:32	88.0922	3884.45	239.21	-0.06
806	2011/03/24	23:29:32	88.5756	3883.33	238.33	23:29:32	88.5756	3883.61	239.28	-0.04
807	2011/03/24	23:58:32	89.0589	3882.53	238.41	23:58:32	89.0589	3882.82	239.33	-0.04
808	2011/03/25	00:27:32	89.5422	3881.91	238.46	00:27:32	89.5422	3882.13	239.40	-0.03
809	2011/03/25	00:56:32	90.0256	3881.05	238.52	00:56:32	90.0256	3881.39	239.46	-0.05
810	2011/03/25	01:25:32	90.5089	3880.45	238.57	01:25:32	90.5089	3880.72	239.51	-0.04
811	2011/03/25	01:54:32	90.9922	3879.55	238.64	01:54:32	90.9922	3879.94	239.59	-0.06
812	2011/03/25	02:23:32	91.4756	3878.85	238.68	02:23:32	91.4756	3879.13	239.64	-0.04
813	2011/03/25	02:52:32	91.9589	3878.22	238.75	02:52:32	91.9589	3878.58	239.71	-0.05
814	2011/03/25	03:21:32	92.4422	3877.63	238.84	03:21:32	92.4422	3877.77	239.74	-0.02
815	2011/03/25	03:50:32	92.9256	3876.80	238.88	03:50:32	92.9256	3877.18	239.82	-0.05
816	2011/03/25	04:19:32	93.4089	3876.20	238.93	04:19:32	93.4089	3876.42	239.87	-0.03
817	2011/03/25	04:48:32	93.8922	3875.47	238.99	04:48:32	93.8922	3875.87	239.94	-0.06
818	2011/03/25	05:17:32	94.3756	3874.85	239.04	05:17:32	94.3756	3875.26	239.99	-0.06
819	2011/03/25	05:46:32	94.8589	3874.26	239.08	05:46:32	94.8589	3874.65	240.05	-0.06
820	2011/03/25	06:15:32	95.3422	3873.58	239.14	06:15:32	95.3422	3873.87	240.09	-0.04
821	2011/03/25	06:44:32	95.8256	3872.93	239.19	06:44:32	95.8256	3873.42	240.14	-0.07
822	2011/03/25	07:13:32	96.3089	3872.46	239.25	07:13:32	96.3089	3872.82	240.19	-0.05
823	2011/03/25	07:42:32	96.7922	3871.83	239.30	07:42:32	96.7922	3872.06	240.24	-0.03
824	2011/03/25	08:11:32	97.2756	3871.17	239.34	08:11:32	97.2756	3871.49	240.31	-0.05
825	2011/03/25	08:40:32	97.7589	3870.70	239.41	08:40:32	97.7589	3871.01	240.35	-0.05
826	2011/03/25	09:09:32	98.2422	3870.03	239.44	09:09:32	98.2422	3870.30	240.40	-0.04
827	2011/03/25	09:38:32	98.7256	3869.67	239.48	09:38:32	98.7256	3869.84	240.44	-0.02
828	2011/03/25	10:07:32	99.2089	3868.96	239.53	10:07:32	99.2089	3869.29	240.48	-0.05
829	2011/03/25	10:36:32	99.6922	3868.36	239.58	10:36:32	99.6922	3868.88	240.53	-0.08
830	2011/03/25	11:05:32	100.1756	3867.81	239.63	11:05:32	100.1756	3868.20	240.57	-0.06
831	2011/03/25	11:34:32	100.6589	3867.18	239.68	11:34:32	100.6589	3867.57	240.62	-0.06
832	2011/03/25	12:03:32	101.1422	3866.75	239.72	12:03:32	101.1422	3867.02	240.66	-0.04
833	2011/03/25	12:32:32	101.6256	3866.08	239.77	12:32:32	101.6256	3866.45	240.71	-0.05
834	2011/03/25	13:01:32	102.1089	3865.69	239.80	13:01:32	102.1089	3866.03	240.76	-0.05
835	2011/03/25	13:30:32	102.5922	3865.14	239.84	13:30:32	102.5922	3865.39	240.80	-0.04
836	2011/03/25	13:59:32	103.0756	3864.68	239.89	13:59:32	103.0756	3864.98	240.83	-0.04

Bottom Serial Number: 4186 Start Date: 2011/03/21 06:55:00 Run Depth: 9020.00

Top Serial Number: 4185 Start Date: 2011/03/21 06:55:00 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons

	Gauge 1 Date yyyy/mm/dd	Gauge 1 Clk Time hh:mm:ss	Gauge 1 Time hr	Gauge 1 Pres. psi(g)	Gauge 1 Temp. °F	Gauge 1 Clk Time hh:mm:ss	Gauge 2 Time hr	Gauge 2 Pres. psi(g)	Gauge 2 Temp. °F	Gauge 2 G1 - G2 psi
837	2011/03/25	14:28:32	103.5589	3864.13	239.92	14:28:32	103.5589	3864.46	240.87	-0.05
838	2011/03/25	14:57:32	104.0422	3863.59	239.95	14:57:32	104.0422	3864.00	240.90	-0.06
839	2011/03/25	15:26:32	104.5256	3863.05	240.00	15:26:32	104.5256	3863.50	240.96	-0.07
840	2011/03/25	15:55:32	105.0089	3862.66	240.05	15:55:32	105.0089	3863.03	240.99	-0.05
841	2011/03/25	16:24:32	105.4922	3862.24	240.07	16:24:32	105.4922	3862.60	241.04	-0.05
842	2011/03/25	16:53:32	105.9756	3861.87	240.12	16:53:32	105.9756	3862.19	241.07	-0.05
843	2011/03/25	17:22:32	106.4589	3861.35	240.17	17:22:32	106.4589	3861.66	241.11	-0.04
844	2011/03/25	17:51:32	106.9422	3860.86	240.20	17:51:32	106.9422	3861.22	241.16	-0.05
845	2011/03/25	18:20:32	107.4256	3860.41	240.25	18:20:32	107.4256	3860.74	241.21	-0.05
846	2011/03/25	18:49:32	107.9089	3860.00	240.27	18:49:32	107.9089	3860.31	241.23	-0.04
847	2011/03/25	19:18:32	108.3922	3859.53	240.31	19:18:32	108.3922	3859.80	241.27	-0.04
848	2011/03/25	19:47:32	108.8756	3859.13	240.37	19:47:32	108.8756	3859.56	241.31	-0.06
849	2011/03/25	20:16:32	109.3589	3858.69	240.39	20:16:32	109.3589	3858.96	241.34	-0.04
850	2011/03/25	20:45:32	109.8422	3858.44	240.43	20:45:32	109.8422	3858.64	241.37	-0.03
851	2011/03/25	21:14:32	110.3256	3857.83	240.46	21:14:32	110.3256	3858.26	241.40	-0.06
852	2011/03/25	21:43:32	110.8089	3857.56	240.50	21:43:32	110.8089	3857.78	241.44	-0.03
853	2011/03/25	22:12:32	111.2922	3857.06	240.54	22:12:32	111.2922	3857.48	241.48	-0.06
854	2011/03/25	22:41:32	111.7756	3856.62	240.56	22:41:32	111.7756	3857.02	241.53	-0.06
855	2011/03/25	23:10:32	112.2589	3856.24	240.59	23:10:32	112.2589	3856.70	241.55	-0.07
856	2011/03/25	23:39:32	112.7422	3855.84	240.63	23:39:32	112.7422	3856.25	241.56	-0.06
857	2011/03/26	00:08:32	113.2256	3855.45	240.65	00:08:32	113.2256	3855.96	241.61	-0.07
858	2011/03/26	00:37:32	113.7089	3855.25	240.68	00:37:32	113.7089	3855.49	241.64	-0.03
859	2011/03/26	01:06:32	114.1922	3854.74	240.72	01:06:32	114.1922	3855.04	241.68	-0.04
860	2011/03/26	01:35:32	114.6756	3854.25	240.75	01:35:32	114.6756	3854.83	241.71	-0.08
861	2011/03/26	02:04:32	115.1589	3854.10	240.78	02:04:32	115.1589	3854.37	241.73	-0.04
862	2011/03/26	02:33:32	115.6422	3853.67	240.81	02:33:32	115.6422	3854.09	241.76	-0.06
863	2011/03/26	03:02:32	116.1256	3853.24	240.83	03:02:32	116.1256	3853.67	241.80	-0.06
864	2011/03/26	03:31:32	116.6089	3852.98	240.88	03:31:32	116.6089	3853.36	241.83	-0.05
865	2011/03/26	04:00:32	117.0922	3852.54	240.90	04:00:32	117.0922	3853.01	241.86	-0.07
866	2011/03/26	04:29:32	117.5756	3852.29	240.94	04:29:32	117.5756	3852.58	241.89	-0.04
867	2011/03/26	04:58:32	118.0589	3851.92	240.97	04:58:32	118.0589	3852.18	241.92	-0.04
868	2011/03/26	05:27:32	118.5422	3851.47	240.99	05:27:32	118.5422	3851.84	241.94	-0.05
869	2011/03/26	05:56:32	119.0256	3851.20	241.02	05:56:32	119.0256	3851.46	241.98	-0.04
870	2011/03/26	06:25:32	119.5089	3850.80	241.04	06:25:32	119.5089	3851.17	242.00	-0.05
871	2011/03/26	06:54:32	119.9922	3850.15	241.07	06:54:32	119.9922	3850.70	242.02	-0.08
872	2011/03/26	07:23:32	120.4756	3850.33	241.10	07:23:32	120.4756	3850.50	242.06	-0.03
873	2011/03/26	07:52:32	120.9589	3849.77	241.14	07:52:32	120.9589	3850.16	242.10	-0.06
874	2011/03/26	08:21:32	121.4422	3849.33	241.15	08:21:32	121.4422	3849.71	242.12	-0.05
875	2011/03/26	08:50:32	121.9256	3849.05	241.17	08:50:32	121.9256	3849.48	242.13	-0.06
876	2011/03/26	09:19:32	122.4089	3848.69	241.22	09:19:32	122.4089	3849.15	242.17	-0.07
877	2011/03/26	09:48:32	122.8922	3848.48	241.24	09:48:32	122.8922	3848.84	242.20	-0.05
878	2011/03/26	10:17:32	123.3756	3848.16	241.25	10:17:32	123.3756	3848.55	242.22	-0.06
879	2011/03/26	10:46:32	123.8589	3847.83	241.29	10:46:32	123.8589	3848.39	242.25	-0.08
880	2011/03/26	11:15:32	124.3422	3847.47	241.30	11:15:32	124.3422	3848.12	242.28	-0.09

Bottom Serial Number: 4186 Start Date: 2011/03/21 06:55:00 Run Depth: 9020.00

Top Serial Number: 4185 Start Date: 2011/03/21 06:55:00 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenberg Disposal
SE_NW_Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons

Gauge 1 Date yyyy/mm/dd	Gauge 1 Clk Time hh:mm:ss	Gauge 1 Time hr	Gauge 1 Pres. psi(g)	Gauge 1 Temp. °F	Gauge 2 Clk Time hh:mm:ss	Gauge 2 Time hr	Gauge 2 Pres. psi(g)	Gauge 2 Temp. °F	Gauge 2 G1 - G2 psi	Diff.
881	2011/03/26	11:44:32	124.8256	3847.33	241.34	11:44:32	124.8256	3847.57	242.30	-0.03
882	2011/03/26	12:13:32	125.3089	3846.87	241.37	12:13:32	125.3089	3847.29	242.31	-0.06
883	2011/03/26	12:42:32	125.7922	3846.59	241.38	12:42:32	125.7922	3847.07	242.35	-0.07
884	2011/03/26	13:11:32	126.2756	3846.23	241.44	13:11:32	126.2756	3846.72	242.38	-0.07
885	2011/03/26	13:40:32	126.7589	3845.95	241.44	13:40:32	126.7589	3846.38	242.40	-0.06
886	2011/03/26	14:09:32	127.2422	3845.76	241.47	14:09:32	127.2422	3846.05	242.43	-0.04
887	2011/03/26	14:38:32	127.7256	3845.45	241.50	14:38:32	127.7256	3845.81	242.44	-0.05
888	2011/03/26	15:07:32	128.2089	3845.16	241.51	15:07:32	128.2089	3845.54	242.47	-0.06
889	2011/03/26	15:36:32	128.6922	3844.94	241.54	15:36:32	128.6922	3845.26	242.50	-0.05
890	2011/03/26	16:05:32	129.1756	3844.50	241.55	16:05:32	129.1756	3845.06	242.51	-0.08
891	2011/03/26	16:34:32	129.6589	3844.47	241.59	16:34:32	129.6589	3844.65	242.54	-0.03
892	2011/03/26	17:03:32	130.1422	3844.01	241.60	17:03:32	130.1422	3844.33	242.58	-0.05
893	2011/03/26	17:32:32	130.6256	3843.61	241.62	17:32:32	130.6256	3844.04	242.59	-0.06
894	2011/03/26	18:01:32	131.1089	3843.65	241.65	18:01:32	131.1089	3843.84	242.60	-0.03
895	2011/03/26	18:30:32	131.5922	3843.43	241.67	18:30:32	131.5922	3843.62	242.63	-0.03
896	2011/03/26	18:59:32	132.0756	3842.78	241.71	18:59:32	132.0756	3843.33	242.66	-0.08
897	2011/03/26	19:28:32	132.5589	3842.66	241.72	19:28:32	132.5589	3843.07	242.67	-0.06
898	2011/03/26	19:57:32	133.0422	3841.80	241.74	19:57:32	133.0422	3842.74	242.71	-0.14
899	2011/03/26	20:26:32	133.5256	3842.14	241.77	20:26:32	133.5256	3842.58	242.72	-0.06
900	2011/03/26	20:55:32	134.0089	3841.75	241.79	20:55:32	134.0089	3842.34	242.75	-0.09
901	2011/03/26	21:24:32	134.4922	3841.12	241.80	21:24:32	134.4922	3842.03	242.77	-0.13
902	2011/03/26	21:53:32	134.9756	3841.30	241.83	21:53:32	134.9756	3841.71	242.78	-0.06
903	2011/03/26	22:22:32	135.4589	3841.16	241.85	22:22:32	135.4589	3841.52	242.81	-0.05
904	2011/03/26	22:51:32	135.9422	3840.92	241.89	22:51:32	135.9422	3841.20	242.83	-0.04
905	2011/03/26	23:20:32	136.4256	3840.42	241.89	23:20:32	136.4256	3840.80	242.86	-0.06
906	2011/03/26	23:49:32	136.9089	3840.13	241.93	23:49:32	136.9089	3840.54	242.89	-0.06
907	2011/03/27	00:18:32	137.3922	3840.40	241.95	00:18:32	137.3922	3840.30	242.90	0.01
908	2011/03/27	00:47:32	137.8756	3839.49	241.96	00:47:32	137.8756	3840.08	242.92	-0.09
909	2011/03/27	01:16:32	138.3589	3839.83	241.98	01:16:32	138.3589	3839.90	242.93	-0.01
910	2011/03/27	01:45:32	138.8422	3839.22	241.99	01:45:32	138.8422	3839.53	242.96	-0.05
911	2011/03/27	02:14:32	139.3256	3838.32	242.00	02:14:32	139.3256	3839.48	242.97	-0.17
912	2011/03/27	02:43:32	139.8089	3838.61	242.04	02:43:32	139.8089	3839.21	243.01	-0.09
913	2011/03/27	03:12:32	140.2922	3838.78	242.05	03:12:32	140.2922	3838.96	243.01	-0.03
914	2011/03/27	03:41:32	140.7756	3838.39	242.08	03:41:32	140.7756	3838.71	243.03	-0.05
915	2011/03/27	04:10:32	141.2589	3838.38	242.09	04:10:32	141.2589	3838.46	243.06	-0.01
916	2011/03/27	04:39:32	141.7422	3836.88	242.11	04:39:32	141.7422	3838.33	243.07	-0.21
917	2011/03/27	05:08:32	142.2256	3836.79	242.14	05:08:32	142.2256	3837.99	243.10	-0.17
918	2011/03/27	05:37:32	142.7089	3837.48	242.16	05:37:32	142.7089	3837.65	243.12	-0.02
919	2011/03/27	06:06:32	143.1922	3837.10	242.18	06:06:32	143.1922	3837.52	243.15	-0.06
920	2011/03/27	06:35:32	143.6756	3836.74	242.21	06:35:32	143.6756	3837.22	243.16	-0.07
921	2011/03/27	07:04:32	144.1589	3836.46	242.21	07:04:32	144.1589	3837.11	243.19	-0.09
922	2011/03/27	07:33:32	144.6422	3836.64	242.23	07:33:32	144.6422	3836.75	243.18	-0.02
923	2011/03/27	08:02:32	145.1256	3835.96	242.25	08:02:32	145.1256	3836.62	243.21	-0.09
924	2011/03/27	08:31:32	145.6089	3836.56	242.27	08:31:32	145.6089	3836.18	243.23	0.06

Bottom Serial Number: 4186 Start Date: 2011/03/21 06:55:00 Run Depth: 9020.00

Top Serial Number: 4185 Start Date: 2011/03/21 06:55:00 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenberg Disposal
SE NW Sec.10 T1N-R67W
Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Suckla Farms Injection Well #1
Formation: Lyons
Pool: Lyons

	Gauge 1 Date yyyy/mm/dd	Gauge 1 Clk Time hh:mm:ss	Gauge 1 Time hr	Gauge 1 Pres. psi(g)	Gauge 1 Temp. °F	Gauge 1 Clk Time hh:mm:ss	Gauge 2 Time hr	Gauge 2 Pres. psi(g)	Gauge 2 Temp. °F	Gauge 2 G1 - G2 psi
925	2011/03/27	09:00:32	146.0922	3835.76	242.29	09:00:32	146.0922	3835.98	243.26	-0.03
926	2011/03/27	09:29:32	146.5756	3835.52	242.32	09:29:32	146.5756	3835.82	243.28	-0.04
927	2011/03/27	09:58:32	147.0589	3835.19	242.34	09:58:32	147.0589	3835.63	243.28	-0.06
928	2011/03/27	10:27:32	147.5422	3834.95	242.35	10:27:32	147.5422	3835.38	243.30	-0.06
929	2011/03/27	10:56:32	148.0256	3834.71	242.36	10:56:32	148.0256	3835.10	243.33	-0.06
930	2011/03/27	11:25:32	148.5089	3834.38	242.39	11:25:32	148.5089	3834.81	243.34	-0.06
931	2011/03/27	11:54:32	148.9922	3834.26	242.40	11:54:32	148.9922	3834.58	243.37	-0.05
932	2011/03/27	12:23:32	149.4756	3834.03	242.42	12:23:32	149.4756	3834.44	243.37	-0.06
933	2011/03/27	12:52:32	149.9589	3833.80	242.45	12:52:32	149.9589	3834.20	243.41	-0.06
934	2011/03/27	13:21:32	150.4422	3833.41	242.47	13:21:32	150.4422	3834.04	243.42	-0.09
935	2011/03/27	13:50:32	150.9256	3833.37	242.46	13:50:32	150.9256	3833.72	243.43	-0.05
936	2011/03/27	14:19:32	151.4089	3833.07	242.48	14:19:32	151.4089	3833.51	243.45	-0.06
937	2011/03/27	14:48:32	151.8922	3832.93	242.51	14:48:32	151.8922	3833.30	243.46	-0.05
938	2011/03/27	15:17:32	152.3756	3832.57	242.51	15:17:32	152.3756	3833.15	243.49	-0.08
939	2011/03/27	15:46:32	152.8589	3832.53	242.55	15:46:32	152.8589	3832.85	243.49	-0.05
940	2011/03/27	16:15:32	153.3422	3832.20	242.56	16:15:32	153.3422	3832.52	243.52	-0.05
941	2011/03/27	16:44:32	153.8256	3832.01	242.57	16:44:32	153.8256	3832.44	243.54	-0.06
942	2011/03/27	17:13:32	154.3089	3831.81	242.58	17:13:32	154.3089	3832.29	243.55	-0.07
943	2011/03/27	17:42:32	154.7922	3831.61	242.61	17:42:32	154.7922	3832.07	243.56	-0.07
944	2011/03/27	18:11:32	155.2756	3831.28	242.63	18:11:32	155.2756	3831.85	243.57	-0.08
945	2011/03/27	18:40:32	155.7589	3831.23	242.62	18:40:32	155.7589	3831.57	243.60	-0.05
946	2011/03/27	19:09:32	156.2422	3830.94	242.66	19:09:32	156.2422	3831.26	243.61	-0.05
947	2011/03/27	19:38:32	156.7256	3830.79	242.67	19:38:32	156.7256	3831.05	243.63	-0.04
948	2011/03/27	20:07:32	157.2089	3830.66	242.70	20:07:32	157.2089	3830.95	243.64	-0.04
949	2011/03/27	20:36:32	157.6922	3830.22	242.70	20:36:32	157.6922	3830.74	243.65	-0.08
950	2011/03/27	21:05:32	158.1756	3830.13	242.70	21:05:32	158.1756	3830.48	243.67	-0.05
951	2011/03/27	21:34:32	158.6589	3829.86	242.73	21:34:32	158.6589	3830.25	243.67	-0.06
952	2011/03/27	22:03:32	159.1422	3829.73	242.74	22:03:32	159.1422	3830.08	243.70	-0.05
953	2011/03/27	22:32:32	159.6256	3829.47	242.75	22:32:32	159.6256	3829.89	243.71	-0.06
954	2011/03/27	23:01:32	160.1089	3829.39	242.78	23:01:32	160.1089	3829.80	243.73	-0.06
955	2011/03/27	23:30:32	160.5922	3829.27	242.78	23:30:32	160.5922	3829.43	243.73	-0.02
956	2011/03/27	23:59:32	161.0756	3828.95	242.79	23:59:32	161.0756	3829.25	243.76	-0.04
957	2011/03/28	00:28:32	161.5589	3828.77	242.81	00:28:32	161.5589	3829.18	243.78	-0.06
958	2011/03/28	00:57:32	162.0422	3828.64	242.83	00:57:32	162.0422	3829.04	243.79	-0.06
959	2011/03/28	01:26:32	162.5256	3828.33	242.85	01:26:32	162.5256	3828.76	243.81	-0.06
960	2011/03/28	01:55:32	163.0089	3828.12	242.87	01:55:32	163.0089	3828.67	243.83	-0.08
961	2011/03/28	02:24:32	163.4922	3828.00	242.88	02:24:32	163.4922	3828.48	243.85	-0.07
962	2011/03/28	02:53:32	163.9756	3827.52	242.90	02:53:32	163.9756	3828.33	243.86	-0.12
963	2011/03/28	03:22:32	164.4589	3827.75	242.91	03:22:32	164.4589	3828.07	243.88	-0.05
964	2011/03/28	03:51:32	164.9422	3827.47	242.94	03:51:32	164.9422	3827.82	243.89	-0.05
965	2011/03/28	04:20:32	165.4256	3827.31	242.95	04:20:32	165.4256	3827.74	243.92	-0.06
966	2011/03/28	04:49:32	165.9089	3827.16	242.97	04:49:32	165.9089	3827.48	243.92	-0.05
967	2011/03/28	05:18:32	166.3922	3826.98	242.98	05:18:32	166.3922	3827.30	243.94	-0.05
968	2011/03/28	05:47:32	166.8756	3826.75	243.00	05:47:32	166.8756	3827.19	243.96	-0.06

Bottom Serial Number: 4186 Start Date: 2011/03/21 06:55:00 Run Depth: 9020.00

Top Serial Number: 4185 Start Date: 2011/03/21 06:55:00 Run Depth: 9019.00

Print Filter: Print every 29th point

Wattenberg Disposal
SE NW Sec.10 T1N-R67W

Suckla Farms Injection Well #1
Formation: Lyons

Start Test Date: 2011/03/21
Final Test Date: 2011/03/28

Pool: Lyons

Gauge 1	Gauge 1	Gauge 1	Gauge 1	Gauge 1	Gauge 1	Gauge 2	Gauge 2	Gauge 2	Gauge 2	Dif.
Date	Clk Time	Time	Pres.	Temp.	Clk Time	Time	Pres.	Temp.	G1 - G2	
yyyy/mm/dd	hh:mm:ss	hr	psi(g)	°F	hh:mm:ss	hr	psi(g)	°F	psi	
969	2011/03/28	06:16:32	167.3589	3826.51	243.01	06:16:32	167.3589	3826.94	243.97	-0.06
970	2011/03/28	06:45:32	167.8422	3833.87	244.41	06:45:32	167.8422	3834.72	245.27	-0.12
971	2011/03/28	07:14:32	168.3256	1784.90	140.80	07:14:32	168.3256	1756.04	140.37	4.19
972	2011/03/28	07:43:32	168.8089	375.63	73.03	07:43:32	168.8089	374.66	72.66	0.14

Bottom Serial Number: 4186 Start Date: 2011/03/21 06:55:00 Run Depth: 9020.00
Top Serial Number: 4185 Start Date: 2011/03/21 06:55:00 Run Depth: 9019.00
Print Filter: Print every 29th point